

UNITED STATES DEPARTMENT OF AGRICULTURE
BUREAU OF ENTOMOLOGY AND PLANT QUARANTINE

LIBRARY
STATE PLANT BOARD

I N S E C T P E S T S U R V E Y B U L L E T I N

Vol. 21

1941

Index

REMEMBER PEARL HARBOR

	<u>No.</u>	<u>Page</u>
Bradley, W. G.: "The field status of parasites of the European corn borer at the close of the 1940 season." With C. A. Clark-----	9(Sup.)	787-794
Cartwright, W. B.: "Hessian fly survey at harvest-time"-----	6(Sup.)	485-487
Charles, Vera K.: "A preliminary check list of entomogenous fungi of North America"-----	9(Sup.)	707-785
Clark, C. A.: "Liberations of European corn borer parasites in the United States in 1941"-----	8(Sup.)	621-624
Clark, C. A.: "The field status of parasites of the European corn borer at the close of the 1940 season." With W. G. Bradley-----	9(Sup.)	787-794
"Entomogenous fungi of North America, a preliminary check List," by Vera K. Charles-----	9(Sup.)	707-785
Entomophthoraceae of North America, with insect hosts	9(Sup.)	724-731
"European corn borer, parasites, field status at close of 1940 season," article by W. G. Bradley and C. A. Clark-----	9(Sup.)	787-794
"European corn borer parasites, liberations in the United States in 1941," article by C. A. Clark---	8(Sup.)	621-624
"European corn borer, status in 1941," article by A. M. Vance-----	9(Sup.)	669-682
"Fungi, entomogenous of North America, a preliminary check list," by Vera K. Charles-----	9(Sup.)	707-785
Gnorimoschema operculella Zell., records on distribution in the United States-----	9(Sup.)	683-705

	<u>No.</u>	<u>Page</u>
"Grasshoppers, species and distribution in the 1939 outbreak," article by Robert L. Shotwell-----	5(Sup.)	295-395
"Hessian fly survey at harvesttime, 1941," article by W. B. Cartwright-----	6(Sup.)	485-487
Insect Pest Survey, reporters, list-----	1	1-9
Insects, hosts of entomogenous fungi in North America	9(Sup.)	709-785
"Japanese beetle parasite liberations, including the year 1940, summary," article by J. L. King and L. B. Parker-----	3(Sup.)	127-138
King, J. L.: "Summary of Japanese beetle/parasite liberations, including the year 1940." With L. B. Parker----	3(Sup.)	127-138
"North America, entomogenous fungi of, a preliminary check list," by Vera K. Charles-----	9(Sup.)	707-785
"Parasites, European corn borer, field status at close of 1940 season," article by W. G. Bradley and C. A. Clark-----	9(Sup.)	787-794
"Parasites, European corn borer, liberation in the United States in 1941," article by C. A. Clark-	8(Sup.)	621-624
"Parasites, Japanese beetle, liberations including the year 1940, summary," article by J. L. King and L. B. Parker-----	3(Sup.)	127-138
Parker, L. B.: "Summary of Japanese beetle parasite liberations, including the year 1940." With J. L. King-----	3(Sup.)	127-138
Potato tuber worm (<u>Gnorimoschema operculella</u> Zell.) records on distribution in the United States----	9(Sup.)	683-705
Reporters for Insect Pest Survey, list-----	1	1-9
Shotwell, Robert L., article on "The species and distribution of grasshoppers in the 1939 outbreak"----	5(Sup.)	295-395
Vance, A. M.: "Status of the European corn borer in 1941"-----	9(Sup.)	669-682

(Owing to the shortage of paper, the list of common names is being omitted. Previous indexes may be used for reference to common names. For list of the names approved by the American Association of Entomologists see Jour. Econ. Ent. 35: 1,83-101, February 1942.)

	No.	Page
Abagrotis alternata Grote -----	4	151
Abagrotis barnesi Benj. -----	3	73
Acantholyda erythrocephala L. -----	4	207
	6	464
Acanthoscelides obtectus (Say) -----	7	560
	8	619
Acarina -----	1	30
	4	173
Aceratagallia sanguinolenta Prov. -----	9	634
Achorutes nivicola Fitch -----	3	126
Achrastenus griseus Horn -----	3	91
Acrididae -----	2	38
	3	70-71
	4	139, 142-148
	5	223, 225, 228-233
	5 (Sup.)	295-395
	6	397, 401-407
	7	489, 491, 494-498
	8	563, 565-566
	9	626, 628
	10	795, 796-797
Acrobasis caryae Grote -----	3	95
	6	398, 431
	8	582
Acrobasis juglandis (Le B.) -----	3	94
	4	179
	5	254
Acrobasis sp. -----	3	94
Acrolophitus hirtipes Say -----	5 (Sup.)	336, 349, 362, 393
Acrolophus sp. -----	8	573
Acrosternum hilare (Say) -----	6	428
	9	625, 642
Adelges abietis (L.) -----	2	54
	3	111
	4	209
	5	281
	6	468
Adelges cooleyi (Gill.) -----	3	111
	4	209
	6	468
	7	548
Adelphocoris rapidus (Say) -----	7	539
Aedes campestris D. & K. -----	4	214
Aedes canadensis (Theob.) -----	7	554
Aedes dorsalis (Wg.) -----	3	117
	4	214
	5	288, 289
	6	476
	7	554, 555
	8	613
Aedes increpitus Dyar -----	3	117
Aedes infirmatus D. & K. -----	7	554
Aedes lateralis (Wg.) -----	5	289
Aedes nigromaculis (Ludl.) -----	7	554, 555

	<u>No.</u>	<u>Page</u>
<i>Aedes sollicitans</i> (Wlk.) -----	4	214
	5	288
	7	554
	8	612
	10	816
<i>Aedes</i> spp. -----	3	117
	7	554
<i>Aedes taenioshynchus</i> (Wied.) -----	7	554
	8	612
	10	816
<i>Aedes triseriatus</i> (Say) -----	8	612
<i>Aedes vexans</i> (Mg.) -----	5	289
	7	554, 555
	8	613
<i>Aeoleus livens</i> Lec. -----	5	236
<i>Aeoloplus</i> (sp.) -----	5 (Sup.)	358
<i>Aeoloplus tenuipennis</i> Scudd. -----	5 (Sup.)	383
<i>Aeoloplus turnbullii</i> Thos. -----	3	70
	4	142, 143, 144, 145
	5	229, 230
	5 (Sup.)	297, 318, 321, 324, 325, 349, 362, 374, 393
	6	402, 404, 405
	10	796
<i>Aeoloplus turnbullii bruneri</i> Caud. -----	5 (Sup.)	318, 321, 324, 335, 336, 337, 354, 356, 366, 367, 369, 374, 380, 381
<i>Aerochoreutes carlineanus</i> Thos. -----	5 (Sup.)	349, 362
<i>Aeropedellus clavatus</i> Thos. -----	5 (Sup.)	317, 318, 321, 324, 343, 349, 362, 374, 393
<i>Ageneotettix deorum</i> (Scudd.) -----	4	145
	5 (Sup.)	314, 318, 321, 324, 327, 330, 333, 334, 336, 338, 339, 340, 341, 343, 346, 347, 348, 349, 351, 352, 353, 354, 356, 358, 361, 362, 365, 367, 369, 371, 373, 374, 377, 378, 383, 390, 391, 393, 395.
	6	406
<i>Agonoderus lecontei</i> Chaud. -----	2	41
	6	483
<i>Agonoderus</i> sp. -----	5	243
<i>Agrilus anxius</i> Gory -----	4	201
	6	456
	7	491, 542
	8	602
<i>Agrilus communis rubicola</i> Per. -----	8	611
<i>Agrilus ruficollis</i> (F.) -----	8	580
<i>Agriolimax agrestis</i> L. -----	1	15
	2	42
	6	435
	9	642
<i>Agriotes mancus</i> (Say) -----	9	628
<i>Agromyza simplex</i> Loew -----	8	592
<i>Agrotis badinotis</i> Grote -----	9	630
<i>Agrotis bicarnea</i> Guen. -----	4	150

	<u>No.</u>	<u>Page</u>
Agrotis orthogonia Morr. -----	2	38
	3	73
	4	151
	5	225
	9	630
Agrotis ypsilon (Rott.) -----	1	11
	3	73
	4	150, 151
	4	237
	7	502
	9	629
Alabama argillacea (Hbn.) -----	4	141, 195
	5	270
	6	399, 450
	7	490, 533-535
	8	597-599
	9	626, 649-651
	10	809-810
Aleyrodidae -----	2	55
	7	539, 550
	8	600
	9	659
Allocoris virilis McA. & M. -----	6	475
Allotropa sp. -----	3	89
	7	514
Alsophila pomataria (Harr.) -----	1	23
	2	51
	3	106
	4	198
	5	271
Altica chalybea (Ill.) -----	4	178
Amblycorypha oblongifolia Deg. -----	5 (Sup.)	362
Amblyomma americanum (L.) -----	3	121
	4	215
	6	479
Amblyomma maculatum Koch -----	4	215
	5	291
	8	615
Amedoria luctuosa Meig. -----	6	420
	7	509
Amphitornus coloradus (Thos.) -----	5 (Sup.)	318, 321, 327, 349, 351, 354, 362, 365, 371, 372, 374, 383, 387, 393
Amphorophora crataegi Tissot -----	8	610
Amphorophora ribiella Davis -----	4	177
Anabrus simplex Hald. -----	2	37, 38
	3	67, 71-72
	4	139, 148-150
	5	223, 233-234
	6	397, 407-409
	7	489, 498-499
	10	797
Anacentrinus subnudus Buch. -----	1	15
Anaphothrips obscurus (Mull.) -----	6	477

	No.	Page
Anarsia lineatella Zell. -----	1	17
	2	45
	4	175
	6	429
	8	563, 579
Anasa tristis (Deg.) -----	5	264-265
	6	443
	7	528
	8	591-592
	9	647
Anastrepha ludens (Loew) -----	10	803
Ancylis comptana (Froel.) -----	3	103
	4	191-192
	5	266
	6	446
	8	594
Andrector ruficornis Oliv. -----	7	510
Andricus clavulus O.S. -----	1	26
	3	109
	4	206
	6	463
Andricus coronus Beutm. -----	4	206
Andricus foliatus Ashm. -----	8	605
Andricus punctatus Bass. -----	2	53
Anisandrus pyri Peck -----	3	93
Anisota rubicunda (F.) -----	5	277
	6	461
	7	546
Anisota senatoria (A. & S.) -----	9	656
Anomala lucicola F. -----	6	475
Anomala oblivia Fom -----	5	279
Anomala orientalis Wtrh. -----	3	77
	4	156
	9	629
Anomala undulata Melsh. -----	4	156
	6	411-412
	9	629
Anopheles crucians Wied. -----	7	554
Anopheles maculipennis Meig. -----	7	555
	9	662
Anopheles pseudopunctipennis Theob. -----	6	476
Anopheles punctipennis (Say) -----	7	555
	9	662
Anopheles quadrimaculatus Say -----	7	554
Anopheles sp. -----	8	613
Anoplura -----	3	121
Anthonomus eugenii Cano -----	2	37, 49
	5	267
	6	399, 447
	7	531
	8	594
	10	805-806
Anthonomus grandis Boh. -----	1	23
	2	50

	No.	Page
<i>Anthonomus grandis</i> Boh. (Contd.) -----	3	68,104-105
	4	141,193-194
	5	224,268-269
	6	399,448-450
	7	490,532-533
	8	564,595-596
	9	626,648-649
	10	795,808-809
<i>Anthonomus scutellaris</i> Lec.-----	6	429
<i>Anthonomus signatus</i> Say -----	3	68,103
	4	191
<i>Anthrenus museorum</i> (L.) -----	1	36
<i>Anthrenus scrophulariae</i> (L.) -----	2	63
	9	667
<i>Anthrenus verbasci</i> (L.) -----	2	63
	3	125
	5	293
	9	667
<i>Anthrenus vorax</i> Wtrh. -----	2	63
<i>Anticarsia gemmatilis</i> (Hbn.) -----	7	503
	8	563,574
	9	625,635
<i>Antipus laticlavus</i> (Forst.) -----	6	412
<i>Anuraphis cardui</i> (L.) -----	4	176
<i>Anuraphis maidi-radicis</i> (Forbes) -----	4	161
	6	421
<i>Anuraphis roseus</i> Baker -----	2	44
	3	88
	4	170,171
	5	227,248
	6	426
<i>Anychus clarki</i> McG. -----	4	180
	5	255
	6	432
<i>Aonidiella aurantii</i> (Mask.) -----	7	519
<i>Aonidiella citrina</i> (Coq.) -----	5	254
<i>Apanteles flaviconchae</i> Riley -----	1	14
	7	509
	8	573
<i>Apanteles phobetri</i> Roh. -----	6	469
<i>Apanteles vittata phalerata</i> Harr. -----	3	104
<i>Aphiidae</i> -----	1	30
	2	44,48,49
	3	68,88-89,95,100,106
	4	140,170-171,178,189,196-197
		203,208,213
	5	269-270
	6	399,421,443,451-452
	7	491,524,537-539
	8	599-600
	9	646

	<u>No.</u>	<u>Page</u>
<i>Aphis abietana</i> Wlk. -----	7	548
	10	810-811
<i>Aphis gossypii</i> Glov. -----	4	196
	5	270
	6	444-445, 452
	7	529, 538
	8	592, 600
	9	652
<i>Aphis illinoisensis</i> Shim. -----	3	94
<i>Aphis maidis</i> Fitch -----	6	421
	7	508
<i>Aphis medicaginis</i> Koch -----	5	246
	7	545
<i>Aphis pawneepae</i> Hottes -----	3	111
<i>Aphis pomi</i> Deg. -----	2	44
	3	88
	4	170
	5	248
	6	426
	7	513
	8	578
<i>Aphis rhamni</i> Fonsc. -----	6	436
<i>Aphis rociadae</i> O'kell. -----	6	472
<i>Aphis rumicis</i> L. -----	1	21
	4	212, 213
	5	288
	6	447
<i>Aphis spiraecola</i> Patch -----	1	18
	2	37, 47
	3	68, 95-96, 117
	4	179, 213-214
	5	288
<i>Aphis varians</i> Patch -----	4	177
	5	252
	6	430
	8	580
<i>Aphis viburnicola</i> Gill. -----	3	117
	4	213
	5	288
<i>Apion nigrum</i> Hbst. -----	6	461
<i>Apion troglodytes</i> Mann. -----	6	472
<i>Aplomya caesar</i> Ald. -----	9 (Sup.)	788, 792
<i>Archips fervida</i> Clem. -----	6	462
<i>Argas miniatus</i> Koch -----	6	480
	8	616
<i>Arge pectoralis</i> Leach -----	8	603
<i>Arge scapularis</i> Klug -----	7	543
<i>Argyresthia thuiella</i> (Pack.) -----	4	211
	6	471
<i>Argyrotaenia velutinana</i> (Wlk.) -----	4	169
<i>Argytoxa semipurpurana</i> Kearf. -----	4	205-206
<i>Arphia conspersa</i> Scudd. -----	5 (Sup.)	362

	No.	Page
<i>Arphia pseudonietana</i> (Thos) -----	5 (Sup.)	318, 321, 327, 339, 340, 343, 349, 354, 358, 362, 371, 372, 374, 383, 387, 388, 390, 391, 393.
<i>Arphia simplex</i> Scudd. -----	5 (Sup.)	367
<i>Arphia</i> sp. -----	5 (Sup.)	362
<i>Arphia sulphurea</i> (F.) -----	5 (Sup.)	330, 390
<i>Arphia xanthoptera</i> Burm. -----	5 (Sup.)	330
<i>Asaphes americana</i> Gir. -----	7	549
<i>Aspidiotus ancylus</i> (Putn.) -----	2	52
	3	108
<i>Aspidiotus cyanophylli</i> Sign. -----	4	222
<i>Aspidiotus destructor</i> Sign. -----	8	584
<i>Aspidiotus forbesi</i> Johns. -----	1	16
<i>Aspidiotus hederæ</i> (Vallot) -----	2	55
	6	474
	8	611
<i>Aspidiotus ithacæ</i> (Ferris) -----	5	280
<i>Aspidiotus juglans-regiæ</i> Comst. -----	3	109
<i>Aspidiotus lataniae</i> Sign. -----	1	27
	2	52
<i>Aspidiotus perniciosus</i> Comst. -----	1	15-16
	2	43
	3	83-84
	4	165
	5	283
	6	423
	7	511
	8	576
	9	625, 636
<i>Atalopedes campestris</i> Bdv. -----	9	635
<i>Atta texana</i> Buckley -----	1	12
<i>Attagenus piceus</i> (Oliv.) -----	1	35
	2	63
	3	125
	4	221
	5	293
	6	469
<i>Atteva aurea</i> Fitch -----	7	549
<i>Aulacaspis pentagona</i> (Targ.) -----	2	43
	4	165
	5	283
	6	423
	7	511
	8	576, 609
	9	636
<i>Aulacaspis rosæ</i> (Bouché) -----	8	611
<i>Aulocara ellioti</i> Thos. -----	3	70
	4	143, 147
	5 (Sup.)	318, 321, 324, 328, 336, 349, 351, 354, 356, 358, 360, 362, 367, 371, 372, 374, 377, 380, 383, 393, 395
	6	404
	7	489

	No.	Page
Aulocara sp. -----	4	147
Autographa brassicae (Riley) -----	1	22
	2	48
	7	527, 537
	8	590
	9	626, 645-646
Autographa californica (Speyer) -----	8	587
Autoserica castanea (Arrow) -----	3	77
Baliosus ruber (Weber) -----	6	400, 462
	8	604
Baptisia sp. -----	8	574
Bassus agilis Cress. -----	9 (Sup.)	792
Bassus stigmaterus Cress -----	10	800
Bathyplectes curculionis (Thoms.) -----	1	14
	2	41
	3	81
Benacus griseus Say -----	3	126
Blaberus craniifer Burm. -----	6	482
Blapstinus rufipes Csy. -----	3	96
	7	517
Blatta orientalis L. -----	3	124
	4	219
	5	293
	6	482
Blattella germanica (L.) -----	1	34
	2	62
	3	124
	5	293
	6	482
	7	559
	8	617-618
	9	667
Blennocampa rubi (Harr.) -----	5	252
Blepharida rhois Forst. -----	3	111
	5	281
	6	468
Blissus hirtus Montd. -----	3	112
	4	210
	6	471
	7	549-550
	8	608
Blissus insularis Barber -----	7	550
	8	608
Blissus leucopterus (Say) -----	1	10, 13
	2	37, 40
	3	67, 78
	4	158-159
	5	223, 239-240
	6	398, 416-417
	7	507-508
	8	570
	9	625, 633
	10	795, 797-798

	No.	Page
Boopedon nubilum Say -----	5 (Sup.)	318, 321, 332, 354, 362, 367, 374, 380, 381, 393
Bostrichus bocornis Web. -----	3	90
Bovicola bovis (L.) -----	2	59
	3	121
Brachyrhinus ovatus (L.) -----	2	62
	3	68, 103
	4	192
	6	446
	7	553, 561
	9	647, 666
Brachyrhinus rugosostriatus (Goeze) -----	6	446
	7	561
Brachyrhinus sulcatus (F.) -----	4	210
	6	446
Brachystola magna (Gir.) -----	5	229
	5 (Sup.)	333, 336, 349, 354, 367, 374, 393
Brevicoryne brassicae (L.) -----	1	22
	3	101
	8	591
Bruchus brachialis Fahraeus -----	4	164
	10	799
Bruchus pisorum (L.) -----	3	100
	4	188
	5	263
	6	441
	10	806
Bruneria brunnea Thos. -----	5 (Sup.)	349, 351, 393, 395
Bryobia praetiosa Koch -----	3	119
	4	219
	5	245
Bucculatrix canadensisella Chamb. -----	6	456
	8	602
	9	654
Bucculatrix thurberiella Busck -----	7	537
	8	599
Byturus unicolor Say -----	4	176
Cacoecia argyrospila (Walk.) -----	1	16
	2	44
	3	87
	4	140, 168-169
	5	247-248
	6	425
Cacoecia cerasivorana (Fitch) -----	6	429
Cacoecia conflictana Wlk. -----	6	466
Cacoecia fumiferana (Clem.) -----	5	281
	6	467
	7	493
	8	606
	10	810

	<u>No.</u>	<u>Page</u>
<i>Cacoecia obsoletana</i> Wlk. -----	5	267
	7	510
	8	573
<i>Cacoecia rosaceana</i> (Harr.) -----	7	512
<i>Calendra aequalis</i> (Gyll.) -----	6	420
<i>Calendra callosa</i> Oliv. -----	5	243
<i>Calendra cariosa</i> Oliv. -----	5	243
<i>Calendra maidis</i> (Chitt.) -----	5	243
<i>Calendra phoeniciensis</i> Chitt. -----	3	83
<i>Caliroa aethiops</i> (F.) -----	5	287
<i>Caliroa cerasi</i> (L.) -----	6	423
	7	517
	8	580, 610
<i>Caliroa</i> sp. -----	6	463
<i>Gallidium antennatum</i> Newm. -----	7	560
<i>Callimome druparum</i> (Boh.) -----	6	426
<i>Callirhytis punctata</i> Bass. -----	6	463
<i>Callosobruchus maculatus</i> (F.) -----	4	164
	6	422
<i>Calomycterus setarius</i> Roelofs -----	6	412
	7	489, 501
<i>Calosoma frigida</i> F. -----	6	454
<i>Calosoma</i> sp. -----	6	419, 454
<i>Calpodes ethlius</i> (Gram.) -----	8	609
<i>Cameraria</i> sp. -----	5	278
<i>Camnula pellucida</i> (Scudd.) -----	4	145, 147
	5	232, 233
	5 (Sup.)	316, 318, 321, 324, 327, 338, 339, 340, 341, 342, 343, 344, 349, 351, 354, 358, 360, 362, 365, 370, 371, 372, 374, 382, 383, 385, 386, 387, 388, 390, 393, 395
	6	401, 402, 404, 406
	7	496
<i>Camponotus abdominalis floridanus</i> Buckl. ---	6	481
<i>Camponotus caryae decipiens</i> Whlr. -----	4	219
<i>Camponotus caryae rasilis</i> Whlr. -----	3	123
<i>Camponotus herculeanus pennsylvanicus</i> (Deg.)	1	34
	2	61
	3	123
	4	219
	6	480
<i>Camponotus</i> spp. -----	4	219
<i>Camponotus vafer</i> Whlr. -----	6	481
<i>Campylacantha olivacea</i> (Scudd.) -----	5 (Sup.)	314, 315, 330, 354, 367
<i>Campylacantha olivacea vivax</i> Scudd. -----	5 (Sup.)	380
<i>Capitophorus fragaefolii</i> (Gyll.) -----	3	103
<i>Capitophorus ribis</i> (L.) -----	3	94
	4	177
	5	252
	9	640
<i>Carcelia ochracea</i> V.d.W. -----	9 (Sup.)	792

	<u>No.</u>	<u>Page</u>
Cardiochiles nigriceps Vier. -----	4	192-193
Carpocapsa pomonella (L) -----	1	16
	2	37, 43-44
	3	67, 84-85
	4	139-140, 165-167
	5	226, 246-247
	6	398, 423-425
	7	490, 492, 511-512
	8	563, 576-577
	9	627, 637
	10	802-803
Carpophilus dimidiatus (F.) -----	2	64
Carpophilus hemipterus (L.) -----	6	484
Carpophilus niger Say -----	6	420
Carpophilus pallipennis Say -----	6	475
Carpophilus spp. -----	6	420
Cartodere argus Reitt. -----	7	560
Cartodere elegans Aube -----	3	124
Cassidinae -----	5	266
	8	594
Cathartus advena (Waltl.) -----	1	35
	3	125
	4	220
Cathartus quadricollis Guer. -----	1	35
Cecidomyia catalpae Comst. -----	6	456
Cecidomyia ocellaris O.S. -----	4	205
Celama sorghiella (Riley) -----	7	510
	8	574
	9	625, 635
Centeter cinerea Ald. -----	3 (Sup.)	127, 130, 138
Cephenomyia sp. -----	6	480
Cephus cinctus Nort. -----	5	225
	7	491-492, 504
	9	626-627
Cephus pygmaeus (L.) -----	10	801
Ceramica picta (Harr.) -----	5	245
	7	527
Ceratomegilla fuscilabris Muls. -----	1	21
Ceratomia catalpae (Bdv.) -----	5	274
	6	456
	7	543
	8	603
Ceresa bubalus (F.) -----	3	84
Ceroplastes cirripediformis Comst. -----	1	26, 27
Ceroplastes floridensis Comst. -----	6	432
Ceropsylla sideroxyli Riley -----	6	432
Cerotoma trifurcata (Forst.) -----	3	100
	4	186
	5	224, 262
	6	440
	9	644
Ceuthophilus sp. -----	1	35
Ceutorhynchus assimilis (Payk.) -----	3	101

	<u>No.</u>	<u>Page</u>
<i>Chaetocnema confinis</i> Crotch -----	3	102
	4	191
<i>Chaetocnema denticulata</i> (Ill.) -----	4	161
<i>Chaetocnema pulicaria</i> Melsh. -----	3	79
	4	161
<i>Chaitophorus populella</i> G. & P. -----	6	466
<i>Chaitophorus viminalis</i> Monell -----	6	470
	7	549
<i>Chalcodermus aeneus</i> Boh. -----	3	82
	4	164
	5	245
	6	422
	7	510
<i>Chalcodermus collaris</i> Horn -----	7	510
<i>Chalepus dorsalis</i> Thunb. -----	3	90
	5	277
	6	400, 460-461
	7	491, 545
	8	604
<i>Chaoborus astictopus</i> D. & K. -----	3	117-118
	7	556
<i>Chaoborus</i> sp. -----	2	58
	8 (Sup.)	621-624
	9 (Sup.)	789, 792, 794
<i>Chelymorpha cassidea</i> (F.) -----	5	266
	6	446
	7	530
<i>Chermes strobilobius</i> Kltb. -----	5	277
<i>Chermes tsugae</i> Annand -----	6	455
<i>Chilo plejadellus</i> Zinck. -----	9	636
<i>Chilo simplex</i> (Butl.) -----	8	575
<i>Chionaspis americana</i> Johns. -----	2	52
	3	108
	7	544
	9	655
<i>Chionaspis citri</i> Comst. -----	1	18
<i>Chionaspis euonymi</i> Comst. -----	1	28
	2	56-57
	3	114
	4	212
	5	285
	6	472
	7	551-552
	8	610
	9	660
<i>Chionaspis furfura</i> (Fitch) -----	2	43
	3	89
	8	578
	9	659
<i>Chionaspis pinifoliae</i> (Fitch) -----	2	54
	3	111
	4	208
	5	280
	6	466
	8	607

	<u>No.</u>	<u>Page</u>
<i>Chionaspis pinifoliae</i> (Fitch) (Contd.) ----	9	657
<i>Chionaspis salicis-nigrae</i> Walsh -----	6	470
<i>Chionaspis sylvatica</i> Sand. -----	3	111
<i>Chirida guttata</i> (Oliv.) -----	5	266
	6	446
<i>Chloealtis conspersa</i> Harr. -----	5 (Sup.)	346,362
<i>Chlorochroa ligata</i> (Say) -----	8	600
	9	652
<i>Chlorochroa sayi</i> Stal -----	1	11-12
	2	39
	4	156
	5	225,238
	6	415
	7	492
	9	627
<i>Chlorochroa uhleri</i> Stal -----	6	415
	7	508
	9	634
<i>Chorizagrotis auxiliaris</i> (Grote) -----	1	11
	2	38
	3	67,74-75
	4	139,152-153
	5	223,237
	6	413
<i>Chorizagrotis auxiliaris agrestis</i> Grote ---	2	38
	3	73
<i>Chortippus longicornis</i> (Latr.) -----	5 (Sup;)	318,321,324,327, 330,333,339,343,344,349, 358,362,371,372,374,383, 387,388,390,391,393
<i>Chortophaga viridifasciata</i> (Deg.) -----	5 (Sup.)	314,315,330,331, 333,346,347,362,367,369
<i>Chrysobothris femorata</i> (Oliv.) -----	9	636
<i>Chrysobothris mali</i> Horn -----	7	550
<i>Chrysobothris</i> sp. -----	3	114
<i>Chrysochus auratus</i> F. -----	5	266
<i>Chrysomela lapponica</i> (L.) -----	3	112
	4	209
	5	282
	6	466
<i>Chrysomela scripta</i> F. -----	4	209
	6	466
<i>Chrysomphalus aonidum</i> (L.) -----	1	18,27
	2	47
	5	254
	6	398,432
	7	519
	8	564,583
<i>Chrysomphalus dictyospermi</i> (Morg.) -----	1	18
<i>Chrysomphalus obscurus</i> (Comst.) -----	1	18
	3	95
	4	205
	8	604
	9	640
<i>Chrysops discalis</i> Will. -----	5	291

	<u>No.</u>	<u>Page</u>
Chrysops discalis Will. -----	6	479
	7	558
Chrysops flavida Wied. -----	5	291
Chrysops fulginosa Wied. -----	3	121
	5	291
Chrysops fulvastra O. S. -----	5	291
	6	479
	7	558
Chrysops vittatus Wied. -----	5	291
Cicadellidae -----	3	89
	4	164, 171
	6	475
	7	553
	8	578
Cimbex americana Leach -----	5	276
	6	470
Cimex lectularius L. -----	1	30
	2	57
	3	118
	4	215
	6	477-478
	7	555-556
	8	613
	9	662
Cimexopsis nyctalis List. -----	2	60
	7	561
Cinara juniperi Deg. -----	4	212
Cinara sp. -----	1	26
Cinara strobili Fitch -----	2	54
	3	110
	4	208
Cinara taedae Tissot -----	3	110
Cinara tujafilina Del G. -----	1	27
	2	55-56
	3	113
Circotettix rabula R. & H. -----	5 (Sup.)	318, 321, 349, 362, 393
Circotettix rabula altior Rehn -----	5 (Sup.)	318, 321
Circotettix rabula nigrafasciatus Beamer -----	5 (Sup.)	374
Circotettix undulatus Rhen. -----	5 (Sup.)	349, 371
Circotettix verrucullatus Kby. -----	5 (Sup.)	339
Cirphis unipuncta (Haw.) -----	3	75
	4	139, 157
	5	241
	6	419
	7	503
	9	630-631
Clastoptera lawsoni Doer. -----	8	581
Clausenia purpurea Ishii -----	3	89
	7	514
Cnephasia longana (Haw.) -----	1	20
	2	39
	3	103
Enidocampa flavescens (Wlk.) -----	8	605
Coccidae -----	1	10
Coccobaphes sanguinarius Uhl. -----	4	205

	No.	Page
Coccus hesperidum L. -----	1	27
	9	661
Coccus pseudomagniolarum (Kuw.) -----	4	140,180
	5	255
Cochliomyia americana C. & P. -----	1	10,31
	3	69,119-120
	4	215-216
	5	289,290
	6	478
	7	557
	8	564,614-615
	9	626,663
	10	814-815
Cochliomyia macellaria (F.) -----	3	120
	4	216
Cochliomyia spp. -----	7	557
Colaspis brunnea (F.) -----	5	244
	6	434
Colaspis spp. -----	6	420
	8	573
Coleophora caryaefoliella Clem. -----	5	253
Coleophora laricella (Hbn.) -----	2	53
	4	204
	5	276-277
	6	399,460
Coleophora limosipennella (Dup.) -----	5	275
Coleophora malivorella Riley -----	2	44
	3	87
	5	247
	6	425
Coleophora pruniella Clem. -----	3	93
Coleophora salmani Heinr. -----	6	456
	7	542
Colias eurytheme Bdv. -----	1	14
	2	41
	4	163
	6	421-422
	7	490,509
	8	573
	9	634
Colias sp. -----	2	41
Collembola -----	4	192
Colopha ulmicola (Fitch) -----	5	275
	6	459
Compsus auricephalus Say -----	6	450
Conophthorus coniperda (Schwarz) -----	6	465
Conopia exitiosa (Say) -----	1	17
	2	45
	3	91-92
	4	175
	6	428
	7	516
	8	579
	9	638-639
Conopia opalescens (Hy. Edw.) -----	4	175

	<u>No.</u>	<u>Page</u>
Conopia pyri (Harr.) -----	4	170
	6	425
Conopia scitula (Harr.) -----	1	18
Conopia sp. -----	2	45
Conopia tipuliformis (L.) -----	5	252
Conotrachelus juglandis Clem. -----	5	253
Conotrachelus nenuphar (Hbst.) -----	1	17
	2	37, 45
	3	68, 90-91
	4	140, 173-174
	5	224, 250
	6	398, 427
	7	490-516
	8	563, 579-580
	9	639
	10	803
Conozoa wallula Sudd. -----	5 (Sup.)	327, 358, 360, 371, 372 383
Contarinia canadensis Felt -----	4	201
Contarinia pyrivora (Riley) -----	3	93
Contarinia sorghicola (Coq.) -----	8	575
Cordillacris crenulata Brun. -----	5 (Sup.)	318, 321, 349, 354, 362, 374, 393
Cordillacris occipitalis Thos. -----	5 (Sup.)	318, 321, 354, 374, 393
Cordillacris occipitalis cinerea Brun. -----	5 (Sup.)	318, 321, 349, 374
Corizus indentatus Hambl. -----	3	77
Corizus viridicatus Uhl. -----	4	183
Corythuca arcuata (Say) -----	4	206
	7	553
Corythuca ciliata (Say) -----	3	112
	6	469
	8	607
Corythuca cydoniae Fitch -----	3	115
	5	286
	6	474
	8	611
Corythuca gossypii (F.) -----	7	552
Corythuca mollicula O. & D. -----	7	549
Corythuca pallida ulmi O. & D. -----	6	459
	7	534
	8	603
Cossula magnifica (Stkr.) -----	8	582
Cotinis nitida (L.) -----	3	77
	4	139, 155
	6	410
Crambus sperryellus Klots. -----	9	658-659
Crambus spp. -----	4	161
	5	243
	6	470
Craponius inaequalis (Say) -----	8	581
Cratypedes neglectus Thos. -----	5 (Sup.)	371, 387, 393
Cremastus flavo-orbitalis Cam. -----	9 (Sup.)	794
Crematogaster ashmeadi Mayr -----	7	559
Crematogaster lineolata (Say) -----	9	665
Crioceris asparagi (L.) -----	3	68, 102
	4	189-190
	5	226, 265
	6	445
	7	529
	8	592

	<u>No.</u>	<u>Page</u>
<i>Crioceris duodecimpunctata</i> (L.) -----	4	189-190
	6	445
	8	592
<i>Crymodes devastator</i> Brace -----	4	151
	5	237
	6	413
	7	503
<i>Cryptocephalus castaneus</i> Lec. -----	5	252
<i>Cryptococcus fagi</i> (Baer.) -----	6	455
<i>Cryptophagus</i> sp. -----	3	126
<i>Cryptotermes brevis</i> Wlk. -----	6	480
<i>Cryptotermes snyderi</i> Light -----	6	480
<i>Ctenocephalides canis</i> (Curt.) -----	2	57
<i>Ctenocephalides felis</i> (Bouche) -----	4	214
	6	477
	7	555
<i>Ctenocephalides</i> sp. -----	4	214-215
<i>Culex mississippiensis</i> Hoffm. -----	4	214
<i>Culex pilosus</i> D. & K. -----	7	554
<i>Culex salinarius</i> Coq. -----	7	554
<i>Culex</i> spp. -----	5	288
	8	612
<i>Culex tarsalis</i> Coq. -----	7	555
	8	613
<i>Culicinae</i> -----	3	117
	4	214
	5	288-289
	6	476
	7	554-555
	8	612-613
	9	662
<i>Culicoides canithorax</i> Hoffm. -----	3	118
<i>Culicoides melleus</i> (Coq.) -----	5	289
<i>Culicoides mississippiensis</i> Hoffm. -----	3	118
	5	289
<i>Culicoides</i> sp. -----	2	57
	3	118
	4	214
	5	289
<i>Curculio caryae</i> (Horn) -----	8	582-583
	9	640
<i>Curculionidae</i> -----	3	102-103
	4	179
<i>Cuterebra</i> sp. -----	7	556
<i>Cyclocephala borealis</i> Arrow -----	6	410
	9	628
<i>Cyclocephala immaculata</i> Oliv. -----	9	628
<i>Cyclocephala</i> sp. -----	9	628
<i>Cycloneda sanguinea</i> L. -----	1	21
<i>Cylas formicarius</i> (F.) -----	9	626, 648
<i>Cylindrocopturus eatoni</i> Buch. -----	10	813

	No.	Page
Cyllene caryae Gahan -----	4	203
Cyllene robiniae (Forst.) -----	3	109
	6	461
	8	604
	9	655
Cynaesus angustus (Lec.) -----	3	125
	4	220
Dactylotum pictum Thos. -----	5 (Sup.)	318, 321, 374
Dasyneura communis Felt -----	4	205
	6	462
Dasyneura gleditschiae O. S. -----	4	204
Dasyneura mali Kieff. -----	4	172
	5	249
Dasyneura rhodophaga (Coq.) -----	7	553
Datana integerrima G. & R. -----	5	253
	6	469
	7	549
	8	582
	9	640
Datana ministra (Drury) -----	8	601
Dendroctonus brevicornis Lec. -----	10	812
Dendroctonus frontalis Zimm. -----	9	656
	10	812
Dendroctonus jeffreyi Hopk. -----	10	812-813
Dendroctonus monticolae Hopk. -----	10	811
Dendroctonus piceaperda Hopk. -----	6	468
	9	658
Dendroctonus ponderosae Hopk. -----	10	812
Dendroctonus simplex Lec. -----	8	604
Dendroctonus spp. -----	9	656
	10	812
Dendroctonus terebrans (Oliv.) -----	4	207
	6	465
Dendroctonus valens Lec. -----	2	54
	4	207
Dendrothrips ornatus Jabl. -----	6	474
	8	611
Depressaria heracliana Deg. -----	7	530
Dermacentor sp. -----	6	478
Dermacentor variabilis (Say) -----	1	31
	3	69, 118-119
	4	215
	5	289
	6	478
	7	556-557
	8	614
Dermanyssus gallinae (Deg.) -----	7	558
	9	664
Dermestes cadaverinus F. -----	2	63-64
	3	125
	7	560
Dermestes caninus Germ. -----	2	63
Dermestes lardarius L. -----	2	63, 64
	7	560
		56

	No.	Page
<i>Dermestes vulpinus</i> F. -----	2	63
<i>Derotmema haydenii</i> Thos. -----	5 (Sup.)	318, 321, 336, 349, 354, 362 374, 393
<i>Desmia funeralis</i> (Hbn.) -----	3	94
	4	178
	6	430
	7	518
	8	581
<i>Dexia ventralis</i> Ald. -----	3 (Sup.)	127, 131
<i>Diabrotica balteata</i> Lec. -----	1	19-20
	6	440
	7	521
	9	641
<i>Diabrotica duodecimpunctata</i> (F.) -----	1	19-20
	2	42, 48
	3	91, 97
	4	140, 181
	5	240, 241
	6	420, 434
	7	508, 521
	8	570, 584-585
	9	641
<i>Diabrotica filicornis</i> Horn -----	8	572
<i>Diabrotica longicornis</i> (Say) -----	5	241
	6	419-420
	7	508
	8	572
<i>Diabrotica soror</i> Lec. -----	1	20
	3	77
	4	165
	5	256
	6	399, 440
	7	511
<i>Diabrotica</i> spp. -----	5	240-241
	6	440
<i>Diabrotica virgifera</i> Lec. -----	8	572
<i>Diabrotica vittata</i> (F.) -----	4	181
	5	226, 256
	6	444
	7	521
	8	585
	9	641
<i>Diacrisia virginica</i> (F.) -----	8	612
<i>Dialeurodes citri</i> (Ashm.) -----	3	96
	4	179
	5	254
	6	431
	7	519
	8	584, 608
<i>Dialeurodes citrifolii</i> (Morg.) -----	3	96
	4	179
<i>Diaphania nitidalis</i> (Stoll) -----	5	265
	6	444
<i>Diapheromera femorata</i> (Say) -----	7	542

	No.	Page
Diapheromera femorata (Say) (Cont'd.) -----	8	602
	9	654
Diarthronomyia chrysanthemi Ahlberg -----	3	114
	5	284
Diaspis carueli Targ. -----	1	29
	4	203
	6	474
Diatraea crambidoides (Grote) -----	5	242
	6	419
Diatraea grandiosella Dyar -----	7	507
	8	572
	9	625, 634
Diatraea saccharalis (F.) -----	1	15
	3	83
	6	422-423
	7	490, 511
	8	572
	9	632
	10	799-800
Dichomeris ligulella Hbn. -----	5	273
	6	462
	8	564, 602
Dichomeris marginellus (F.) -----	3	115
	4	141, 203
	7	552
	9	660
Dichromorpha viridis (Scudd.) -----	5 (Sup.)	330, 333, 346
Dicyphus minimus Uhl. -----	9	648
Dikraneura cockerellii Gill. -----	3	116
Dinoderus minutus F. -----	4	221
Dioryctria zimmermanni (Grote) -----	6	464
Diplopoda -----	2	61
	4	192
Diplotaxis sp. -----	3	98
Diprion simile (Htg.) -----	5	280
	7	547
	8	606
Diptera -----	3	108
Disonycha triangularis (Say) -----	6	447
Disonycha xanthomelaena Dalm. -----	6	447
Dissosteira carolina (L.) -----	5	231
	5 (Sup.)	318, 321, 325, 327, 328, 330, 333, 339, 343, 349, 351, 354, 358, 362, 365, 371, 372, 374, 377, 383, 385, 387, 390, 393, 395
	7	498
Dissosteira longipennis (Thos.) -----	5 (Sup.)	296, 297, 305, 306, 307-310, 312, 317, 318, 321, 336, 337, 354, 367, 369, 380, 381, 393
	6	401
Dissosteira spurcata Sauss. -----	5 (Sup.)	371, 372, 383
Dolerus spp. -----	4	159
Dolichopus ramifer Loew -----	3	114
Drepanaphis acerifoliae (Thos.) -----	4	205

	No.	Page
Drepanopterna femoratum Scudd. -----	5 (Sup.)	318, 321, 324, 327, 349, 354 358, 362, 374, 383, 393, 395
Drepanosiphum platanoides Schr. -----	3	112
Drepanothrips reuteri Uzel -----	8	582
Dreyfusia piceae Ratz. -----	6	459
Dynastes tityus (L.) -----	7	520
Dysdercus suturellus (H.S.) -----	9	653
Eacles imperialis (Drury) -----	7	547
Eburia distincta Hald. -----	7	560
Eburia quadrigeminata (Say) -----	7	560
Ecdytolopha insiticiiana Zell. -----	9	655
Echidnophaga gallinacea (Westw.) -----	3	121
	5	292
Elasmopalpus lignosellus (Zell.) -----	4	160
	5	243, 262
	8	574
	9	642
Elateridae -----	1	11
	2	39
	3	76
	4	153-154
	5	225, 236
	9	625, 629
Ellopia athasaria Wlk. -----	1	24
Ellopia fiscellaria Guen. -----	7	544
	8	604
Ellopia pellucidaria G. & R. -----	4	207
Empoasca abrupta De L. -----	8	588
Empoasca fabae (Harr.) -----	1	21
	4	185
	5	260
	6	399, 437
	7	490, 524
	8	588
	9	641, 644
Empoasca filamenta De L. -----	7	524
	8	588
Empoasca spp. -----	7	551
	8	588
Enchenopa binotata (Say) -----	8	608
Encoptolophus sordidus (Burm.) -----	5 (Sup.)	330, 333, 339, 362, 390
Encoptolophus sordidus costalis Scudd. -----	5 (Sup.)	318, 321, 343, 344, 349, 352, 354, 362, 367, 374, 393
Encoptolophus subgracilis texensis Burm. ----	5 (Sup.)	367
Entomoscelis adonidis (Pallas) -----	9	634
Eomenacanthus stramineus (Nitz.) -----	9	664
Ephestia cautella (Wlk.) -----	9	667
Ephestia kuehniella Zell. -----	5	294
Epicaerus imbricatus (Say) -----	3	98
	4	172
	5	265
Epicauta cinerea (Forst.) -----	5	257
	6	433

	No.	Page
<i>Epicauta ferruginea</i> (Say) -----	6	433
<i>Epicauta lemniscata</i> F. -----	5	257
	6	433
	7	520
	8	585
	9	642
<i>Epicauta maculata</i> (Say) -----	5	257
	6	433, 434
	7	521
<i>Epicauta marginata</i> (F.) -----	7	520
	8	585
	9	642
<i>Epicauta pardalis</i> Lec. -----	5	258
<i>Epicauta pennsylvanica</i> (Deg.) -----	5	257
	6	433, 434
	7	520, 521
<i>Epicauta</i> spp. -----	5	257
	6	433
<i>Epicauta vittata</i> (F.) -----	5	257
	6	433, 434
	7	521
<i>Epilachna borealis</i> (F.) -----	3	91
	5	265
<i>Epilachna varivestis</i> Muls. -----	3	68, 99
	4	140, 185-186
	5	261-262
	6	399, 439-440
	7	490, 525-526
	8	588-589
	9	644
<i>Epinotia nanana</i> Treit. -----	4	208
	6	468
	8	607
<i>Epitrimerus hysterix</i> Nal. -----	5	246
<i>Epitrix cucumeris</i> (Harr.) -----	4	184
	5	260
	6	399, 436
	7	523
	8	587
	10	808
<i>Epitrix fuscula</i> Crotch -----	4	182
<i>Epitrix parvula</i> (F.) -----	3	68, 104
	4	192
	5	267
	6	448
	7	523, 531
	8	595
	10	807-808
<i>Epitrix</i> spp. -----	6	436
<i>Epitrix subcrinita</i> (Lec.) -----	4	182
	6	436
	7	523
<i>Epochea canadensis</i> Loew -----	6	430
	7	517

	No.	Page
Eremiacris sp. -----	5 (Sup.)	358
Eriocampoides amygdalina Roh. -----	3	92
Eriococcus azatae Comst. -----	1	27
	2	56
	3	113
	4	211
	9	659
Eriophyes avellanae (Nal.) -----	1	18
	3	95
Eriophyes fraxiniflora Felt -----	7	542
	9	654
Eriophyes pyri Pgst. -----	3	93
	4	172
	8	580
	9	639
Eriosoma americanum (Riley) -----	5	275
	6	458
	9	637
Eriosoma lanigerum (Hausm.) -----	4	170,203
	6	426
	7	513
	8	578,610
	9	637,638
Eriosoma rileyi Thos. -----	5	275
Eriosoma spp. -----	5	275
Eritettix simplex tricarinatus Thos. -----	5 (Sup.)	362
Erynnis sp. -----	5	255
Erythroneura comes (Say) -----	3	94
	4	177
	5	253
	6	430
	7	493,517-518
	8	564,581
	9	640
Erythroneura comes ziczac Walsh -----	4	178
Erythroneura hartii (Gill.) -----	8	578
Erythroneura sp. -----	4	178
	6	430
Erythroneura volucris Beam -----	3	92
Estigmene acraea (Drury) -----	9	631
Estigmene sp. -----	2	39
Euborellia annulipes (Lucas) -----	1	11
Eudiagogus rosenscholdi Fahr. -----	7	510
Euetheola rugiceps (Lec.) -----	3	83
	6	420
Eulia quadrifasciana Fern. -----	4	169
Eulophus viridulus Thoms. -----	9 (Sup.)	788,792,793
Euphoria inda (L.) -----	3	77
Eurychlopterella luridula Reut. -----	7	514
Eusimulium pecuarum (Riley) -----	2	59
Eutettix tenellus (Bak.) -----	6	447
	7	531
	10	804-805
Euthochtha galeator F. -----	7	522

	No.	Page
<i>Eutrombicula alfreddugesi</i> (Oud.) -----	5	289
	6	478
	8	614
<i>Euxoa messoria</i> (Harr.) -----	8	568
<i>Euzophera ostricolorella</i> Hulst -----	8	607
<i>Evergestis rimosalis</i> (Guen.) -----	8	590
<i>Exartema ferriferanum</i> Wlk. -----	5	285
<i>Feltia annexa</i> (Treit.) -----	1	11
	3	73
<i>Feltia gladiaria</i> Morr. -----	1	11
<i>Fenusa pusilla</i> (Lap.) -----	6	456
<i>Fenusa ulmi</i> Sund. -----	5	276
	6	458
<i>Fidia viticida</i> Walsh -----	5	253
<i>Fiorinia japonica</i> Kuw. -----	7	545
<i>Fiorinia theae</i> Green -----	1	27
	2	56
	3	114
	7	551
<i>Forficula auricularia</i> L. -----	1	10, 11
	6	397, 409
	7	499
<i>Formica munda</i> Whlrl. -----	6	481
<i>Formica truncicola integra</i> Nyl. -----	6	480
<i>Formicidae</i> -----	1	12, 34
	2	60-61
	3	123
	4	218-219
	5	292
	6	480
	8	616-617
<i>Frankliniella cephalica</i> (Crawf.) -----	1	16
<i>Frankliniella cephalica bispinosa</i> Morg. -----	3	96
<i>Frankliniella fusca</i> (Hinds) -----	4	193, 197
	5	267
	6	399, 448
<i>Frankliniella moultoni</i> Hood -----	1	16
	5	245
	6	441
<i>Frankliniella occidentalis</i> (Perg.) -----	5	245, 251
<i>Frankliniella</i> spp. -----	2	43
	4	197
<i>Frankliniella tritici</i> (Fitch) -----	4	213
<i>Galerucella xanthomelaena</i> (Schr.) -----	1	25
	2	52
	3	69, 108
	4	141, 201-202
	5	224, 274
	6	399, 457-458
	7	491, 543
	8	603
<i>Gargaphia solani</i> Heid. -----	9	647

	No.	Page
Gargaphia tiliae Walsh -----	6	460
Gasterophilus haemorrhoidalis (L.) -----	5	292
Gasterophilus intestinalis (Deg.) -----	5	292
Gasterophilus nasalis (L.) -----	5	292
Gasterophilus spp. -----	1	33
	7	558
	9	664
Gelechia cercerisella Chamb. -----	6	469
	7	548
Geometridae -----	1	23
	2	51
	3	106-107
	4	141, 197-199
	5	224, 271
Geshna cannalis Quaint. -----	4	211
Giardomyia rhododendri Felt. -----	4	212
Gibbium psylloides (Czemp.) -----	1	36
Gilpinia frutetorum (F.) -----	6	464
	8	606
	10	813
Gilpinia polytoma (Htg.) -----	5	281
	6	467
	7	548
	9	627, 657-658
Glischrochilus fasciatus Oliv. -----	7	501
Gnorimoschema gudmannella Wlsm. -----	6	447
Gnorimoschema operculella (Zell.) -----	3	68, 99
	6	448
	8	587
	9	626, 642-643, 648
	9 (Sup.)	683-705
Goes pulverulentus (Hald.) -----	6	483
Gossyparia spuria (Mod.) -----	4	203
	5	275-276
	6	459
	7	544
	8	603
Gracilariidae -----	2	44
Gracilaria azaleella Brants -----	5	284
	9	659
Grapholitha molesta (Busck) -----	1	17
	3	92
	4	174-175
	5	227, 249-250
	6	398, 427-428
	7	490, 492, 514-515
	8	579
	9	627, 638
Graptolitha antennata (Wlk.) -----	4	169
	5	277
Gratiana pallidula Boh. -----	4	185
Gretchena bolliana (Sling.) -----	7	518
Gryllotalpa hexadactyla Perty -----	7	522

	No.	Page
Gryllus assimilis (F.) -----	4	150
	6	483
	7	559
	8	566
	9	626, 628
Gryllus domesticus L. -----	1	35
	2	62
	6	482
	8	617
Hadrobregmus carinatus (Say) -----	4	221
Hadrotettix trifasciatus Say -----	5 (Sup.)	318, 321, 333, 336, 349, 354, 362, 367, 374, 393
Haematobia irritans L. -----	3	120
	4	216
	5	290
	6	479
	7	557
	8	615
	9	663
Haematopinus eurysternus Nitz. -----	1	32-33
	3	121
Halisidota harrisii (Walsh) -----	6	469
Halticinae -----	1	20
	3	98
	4	141, 182
	5	226
	8	587
	9	627
Halticus citri (Ashm.) -----	6	435
	7	521-522
	8	564, 586
Hamadryas antiopa (L.) -----	5	275
Harmolita tritici (Fitch) -----	5	240
	6	416
	7	504
Harmolita vaginicola Doane -----	7	504
Heliaula rufa Scudd. -----	5 (Sup.)	318, 321
Heliothis armigera (Hbn.) -----	1	29
	2	41
	3	79, 105
	4	140, 159-160, 185, 195
	5	223, 241-242, 261
	6	398, 417-418, 439, 450-451
	7	490, 506, 535-537
	8	563, 564, 570-571, 585-586, 593, 596-597
	9	633, 643
	10	810
Heliothis virescens (F.) -----	4	192-193
	6	448
Heliothis virescens subflexa Guen. -----	8	585
Hellula undalis (F.) -----	8	590
	9	646

	No.	Page
Hemerocampa definita Pack. -----	2	51
Hemerocampa leucostigma (A. & S.) -----	6	461
	8	601
Hemerocampa vetusta (Bdv.) -----	4	165
Hemicrepidius carbonatus Lec. -----	7	502
Hemileuca maia (Drury) -----	7	516
Hemileuca nevadensis Stretch -----	4	200
	5	282
Hemisarcoptes malus Shim. -----	4	180
Henoticus californicus Mann. -----	3	126
Henoticus sp. -----	2	65
Hercotrips fasciatus (Perg.) -----	6	440
	9	645
Herse cingulata (F.) -----	9	648
Hesperotettix sp. -----	5 (Sup.)	358, 383
Hesperotettix speciosus (Scudd.) -----	5 (Sup.)	318, 321, 324, 333, 336, 337 346, 347, 354, 367, 369, 374, 380
Hesperotettix viridis Thos. -----	5 (Sup.)	318, 321, 324, 327, 362
Hesperotettix viridis nevadensis Morse -----	5 (Sup.)	393
Hesperotettix viridis pratensis Scudd. -----	5 (Sup.)	318, 321, 330, 333, 339, 346 347, 349, 354, 362, 374, 393, 395
Heterocampa guttivitta (Wlk.) -----	6	454
	7	541
Hippelates pallipes Loew -----	7	558
Hippelates plebejus Loew -----	7	558
Hippelates pusio Mall. -----	7	558
Hippelates spp. -----	6	476
	8	614
Hippiscus corallipes Hald. -----	2	38
	4	147
Hippiscus rugosus (Scudd.) -----	5 (Sup.)	314, 315, 318, 321, 330, 333, 334, 346, 347, 349, 354, 362, 367, 369, 374
Hippodamia convergens Guer. -----	5	263
Hippopsis lemniscata F. -----	6	470
Homalodisca triquetra F. -----	5	283
	9	639
Homeosoma electellum Hulst. -----	7	553
Hoplocampa testudinae Klug. -----	5	226-227
Horcias dislocatus Say -----	4	185
Horistonotus uhlerii Horn -----	5	236
	6	412
Hyalopterus arundinis (F.) -----	4	176
	6	429
Hylemya antiqua (Mg.) -----	6	446
	7	530
	9	647
Hylemya brassicae (Bouche) -----	3	101-102
	4	188-189
	5	226
	6	442
	7	527

	No.	Page
<i>Hylemya cilicrura</i> (Rond.) -----	1	20
	2	48
	3	98
	4	182
	5	224, 258
<i>Hylemya</i> sp. -----	1	26
	4	182
<i>Hylobius pales</i> (Hbst.) -----	2	54
	3	110
	4	208
	6	465
<i>Hylobius radialis</i> Buch. -----	3	110
	6	465
	9	657
<i>Hylurgopinus rufipes</i> (Eichh.) -----	4	202
	8	603
<i>Hymenia fascialis</i> (Cram.) -----	9	647
<i>Hypera humuli</i> (Harr.) -----	2	42
<i>Hypera brunneipennis</i> (Boh.) -----	1	14
	4	162-163
	10	799
<i>Hypera meles</i> (F.) -----	6	421, 440
<i>Hypera nigrirostris</i> (F.) -----	6	440
<i>Hypera postica</i> (Gyll.) -----	1	13-14
	2	41
	3	81
	4	161-162
	5	243-244
	6	398, 421
	8	573
<i>Hypera punctata</i> (F.) -----	3	67, 81-82
	4	162
	5	244
	6	421
<i>Hypera rumicis</i> L. -----	5	244
<i>Hypermallus villosus</i> (F.) -----	1	25
	4	179
<i>Hyphantria cunea</i> (Drury) -----	7	491, 540
	8	564, 600-601
	9	640, 653
<i>Hyphantria</i> spp. -- -----	5	273
	6	453
<i>Hypochlora alba</i> Dodge -----	5 (Sup.)	318, 321, 349, 354, 363, 374, 393
<i>Hypoderma bovis</i> (Deg.) -----	1	32
<i>Hypoderma lineatum</i> (De Vil.) -----	1	31-32
	2	58
	3	121
	8	615
	9	664
	10	816
<i>Hypoderma</i> spp. -----	1	31-32
	2	58-59
	4	216
	10	816

	No.	Page
Hypsopygia costalis (F.) -----	5	244
Hysteroneura setariae (Thos.) -----	3	92, 93
	9	639
Icerya purchasi Mask. -----	2	55
	3	112
	4	210
	5	284
	7	519, 551
	8	584
	9	659
Ichneutes sp. -----	6	467
Inareolata punctoria Roman -----	8 (Sup.)	621-624
	9 (Sup.)	788-791, 793, 794
Ips avulsus (Eichh.) -----	6	465
Ips calligraphus (Germ.) -----	6	465
	9	658
Ips grandicollis (Eichh.) -----	6	465
	9	658
Iridomyrmex humilis Mayr -----	1	34
	3	123
	4	219
	5	292
	6	481
	7	559
	8	617
	9	665
Isoptera -----	1	33-34
	2	60
	3	122-123
	4	217-218
	6	480
	7	558
	8	616
	9	664
Itycorsia zappei Roh. -----	5	280
	6	464
Ixodes spp. -----	1	33
Ixodidae -----	2	58
Junonia coenia Hbn. -----	6	475
Keiferia lycopersicella (Busck) -----	9	643
Kermes pubescens Bogue -----	2	53
	3	109
	4	206
	6	463
	7	546
Labopidea allii Knight -----	4	190
Labrorychus prismaticus Nort. -----	9 (Sup.)	792
Lachesilla pedicularia L. -----	9	668
Lachnus sp. -----	4	208
Laemophloeus ferrugineus Steph. -----	3	126

	No.	Page
Laemophloeus minutus (Oliv.) -----	1	35
	2	64
	3	126
	4	220
Laemophloeus sp. -----	1	35
Lagoa crispata Pack. -----	6	469
Laphygma exigua (Hbn.) -----	1	11
	4	141, 194-195
	5	223, 237
	6	413-414
	9	641
Laphygma frugiperda (A. & S.) -----	3	75
	4	153
	5	243
	6	413
	7	507
	8	563, 568-569
	9	625, 630-631
Lasioderma serricorne (F.) -----	2	64
	9	668
Lasioptera querciperda Felt -----	6	463
Lasius interjectus Mayr -----	1	34
	4	218
Lasius niger americanus Emery -----	6	481
Laspeyresia caryana (Fitch) -----	2	46
	6	431
	8	582
	9	640
Laspeyresia interstinctana Clem. -----	4	163
Laspeyresia nigricana (Steph.) -----	6	441
	7	492
Latrodectus mactans (F.) -----	2	58
	8	614
	9	663
Lecaniodiaspis sp. -----	2	56
	3	113, 115
Lecanium corni Bouche -----	3	95
	5	279
Lecanium coryli L. -----	3	108
Lecanium fletcheri Ckll. -----	5	286
Lecanium nigrofasciatum Perg. -----	2	46, 52
	4	200
Lecanium prunastri (Fonsc.) -----	5	284
Lecanium quercifex Fitch -----	4	206
Lecanium quercitroneis Fitch -----	8	605
Lecanium sp. -----	3	93
	4	165
	7	546
Leis dimidiata quinquedecimspilota Hope -----	2	47
Lema sexpunctata (Oliv.) -----	7	550
Lema trilineata (Oliv.) -----	6	473
Lepidocricus herricki Pierce -----	3	102
Lepidosaphes beckii (Newm.) -----	1	18
	2	47

	No.	Page
<i>Lepidosaphes beckii</i> (Newm.) (Cont'd.) -----	5	224, 254
	6	432
	7	519
	8	583
<i>Lepidosaphes camelliae</i> Hoke -----	1	27
	2	56
	3	114
<i>Lepidosaphes ficus</i> (Sign.) -----	3	96
<i>Lepidosaphes ulmi</i> (L.) -----	2	52
	3	116
	4	210
	5	284
	6	426, 471
	7	551
	8	608
	9	659
<i>Lepisma saccharina</i> L. -----	8	617
<i>Leprus cyaneus</i> Ckll. -----	5 (Sup.)	319, 321
<i>Leptinotarsa decemlineata</i> (Say) -----	3	99
	4	140, 183-184
	5	224, 259-260
	6	435-436
	7	492, 522-523
	8	586-587
<i>Leptoconops</i> spp. -----	6	476
<i>Leptocoris trivittatus</i> (Say) -----	1	35
	2	61-62
	3	92
	8	618
	9	626, 665-666
<i>Leptoglossus occidentalis</i> Heid. -----	1	12
<i>Leptoglossus phyllopus</i> (L.) -----	5	287
	8	575, 588
<i>Leucaspis japonica</i> Ckll. -----	1	25
<i>Ligyris gibbosus</i> (Deg.) -----	4	191
	5	282
	6	412
<i>Limoniuss agonus</i> (Say) -----	4	153
	5	236
<i>Limoniuss californicus</i> (Mann.) -----	1	11
	3	76
	4	154
	5	236
	7	502
<i>Limoniuss canus</i> Lec. -----	2	39
	3	76
	4	154
<i>Limothrips cerealium</i> Hal. -----	7	561
<i>Linognathus setosus</i> (Olfers) -----	2	59
<i>Linognathus vituli</i> L. -----	1	33
	2	59
	3	121
<i>Liponyssus bacoti</i> (Hirst) -----	1	30
	2	58
	3	118
	7	556

	No.	Page
<i>Liponyssus sylviarum</i> C. & F. -----	6	480
<i>Liposcelis divinatorius</i> (Mull.) -----	8	617
	9	667
<i>Listroderes obliquus</i> Klug -----	1	10, 19
	2	47
	3	68, 97
	4	140, 181
	5	256
	10	807
<i>Listronotus latiusculus</i> (Boh.) -----	7	529
	8	593
<i>Listronotus oregonensis</i> (Lec.) -----	8	593
<i>Lithocolletes blancardella</i> F. -----	3	88
<i>Lixophaga diatraea</i> Towns. -----	10	800
<i>Lixus concavus</i> Say -----	4	190-191
<i>Longistigma caryae</i> Harr. -----	1	25
	2	46
	3	95
	4	178, 206
	8	583
	9	640
<i>Lopidea davisi</i> Knight -----	2	57
	5	286
<i>Loxostege similalis</i> (Guen.) -----	6	414
	8	569
<i>Loxostege</i> spp. -----	5	238
<i>Loxostege sticticalis</i> (L.) -----	4	153
	5	226
	6	398, 414
	7	492, 503
	8	569
	9	627
<i>Lucilia sericata</i> Mg. -----	9	667
<i>Ludius aereipennis</i> (Kby.) -----	5	236
	7	502
<i>Luperodes</i> spp. -----	6	420
	7	509
<i>Lyctidae</i> -----	9	666
<i>Lyctus brunneus</i> Steph. -----	2	61
<i>Lyctus planicollis</i> Lec. -----	1	36
	2	61
	3	124
<i>Lyctus</i> spp. -----	1	36
	2	61
<i>Lydella stabulans grisescens</i> R..D. -----	8 (Sup.)	621, 623-624
	9 (Sup.)	788-791, 793, 794
<i>Lygaeonotus erichsonii</i> (Htg.) -----	6	459-460
	10	813
<i>Lygaeus lateralis</i> Dall. -----	7	561
<i>Lygus elisus</i> Van D. -----	2	42
	3	81
	5	245
	6	422
	8	573

	<u>No.</u>	<u>Page</u>
Lygus elisus hesperus Knight -----	2	42
	3	81
	5	245
	6	422
	7	492-493
Lygus pratensis oblineatus (Say) -----	2	50
	3	92
	4	164
	5	227, 261, 286
	6	414-415
	7	492-493, 539
	9	642, 660
Lygus spp. -----	1	14
	5	245, 250
Lysiphlebus testaceipes (Cress.) -----	1	12
	4	196
Macrobasis immaculata (Say) -----	5	257
Macrobasis unicolor (Kby.) -----	5	257
	6	433
	7	521
Macrocentrus gifuensis Ashm. -----	8 (Sup.)	621-624
	9 (Sup.)	788, 789, 791, 794
Macroductylus subspinosus (F.) -----	4	156
	5	223, 234-235
	6	411
	8	568
Macronoctua onusta Grote -----	3	115
	5	285
	7	552
	9	660
Macrosiphoniella sanborni (Gill.) -----	1	28
	4	211
	5	284
Macrosiphum ambrosiae (Thes.) -----	6	473
	7	551
Macrosiphum granarium (Kby.) -----	4	159
	6	416
Macrosiphum pisi (Kltb.) -----	1	21
	2	42, 49
	3	67, 79-81
	4	140-141, 186-187
	5	224, 262-263
	6	441
	7	492, 509, 526
	8	573
	9	634, 645
Macrosiphum rosae (L.) -----	1	30
	3	116
	5	287
	6	475
Macrosiphum solanifolii (Ashm.) -----	1	21
	2	48

	<u>No.</u>	<u>Page</u>
Macrosiphum solanifolii (Ashm.) (cont.)-----	4	182, 213
	5	287
	6	436-437
	7	524
Macrosiphum spp. -----	6	473
Macrosiphum taraxaci Kltb. -----	3	112
Macrosteles divisus (Uhl.) -----	7	522
Magiciçada septendecim (L.) -----	4	197
	5	271
	10	810
Malacosoma americana (F.) -----	1	15
	2	44
	3	68, 85-87
	4	140, 167-168
Malacosoma disstria Hbn. -----	3	107
	4	199-200
	5	224, 271-272
	6	454
Malacosoma pluvialis (Dyar) -----	5	272
Malacosoma spp. -----	2	52
	3	107
	4	200
Mansonina perturbans Wlk. -----	7	555
	8	613
Marava wallacei Dorn. -----	3	124
Matsucoccus gallicolus Morr. -----	1	26
Matsucoccus sp. -----	6	466
Megachile sp. -----	7	503
Melanocallis caryaefoliae (Davis) -----	4	178
	5	254
	7	518
	8	583
	9	640
Melanoplus alpinus Scudd. -----	5 (Sup.)	349, 393
Melanoplus angustipennis (Dodge) -----	5 (Sup.)	319, 321, 324, 325, 330, 336, 339, 343, 349, 351, 354, 356, 362, 375, 390, 391, 393
Melanoplus angustipennis impiger Scudd. -----	5 (Sup.)	367, 369, 380
Melanoplus arizonae Scudd. -----	5 (Sup.)	380
Melanoplus bispinosus Scudd. -----	5 (Sup.)	314, 315, 367
Melanoplus bivittatus (Say) -----	4	142, 144, 145, 146
	5	228-232
	5 (Sup.)	296
	6	397, 401-407
	7	489, 494, 495-497, 498
	8	566
	10	796
Melanoplus borealis Fieb. -----	5 (Sup.)	349
Melanoplus borealis monticola Scudd. -----	5 (Sup.)	319, 323, 383, 385, 394, 395
Melanoplus bowditchi Scudd. -----	5 (Sup.)	319, 323, 324, 336, 354, 375, 394
Melanoplus bowditchi canus Hebard -----	5 (Sup.)	349, 363, 375, 377
Melanoplus bruneri Scudd. -----	5 (Sup.)	319, 323, 350, 383, 385, 394

	<u>No.</u>	<u>Page</u>
Melanoplus cinerius Scudd. -----	5 (Sup.)	394, 395
Melanoplus complanatus canonicus Scudd. ---	5 (Sup.)	383
Melanoplus confusus Scudd. -----	5	230
	5 (Sup.)	343, 354, 363, 375, 383
	6	402
Melanoplus dawsoni Scudd. -----	5 (Sup.)	319, 323, 324, 327, 339,
		343, 344, 350, 362, 363, 365,
		375, 383, 390, 394, 395
Melanoplus devastator Scudd. -----	4	147
	5	230
	5 (Sup.)	357
	6	403
	7	498
Melanoplus differentialis (Thos.) -----	4	142, 144, 146
	5	228-231
	5 (Sup.)	296-394
	6	397, 401-403, 405-406
	7	494-496
	8	565, 566
	10	796
Melanoplus dodgei Thos. -----	5 (Sup.)	317, 319, 323, 324
Melanoplus fasciatus Walk. -----	5 (Sup.)	375
Melanoplus femur-rubrum (Deg.) -----	4	147
	5	230, 231
	5 (Sup.)	296-392, 395
	6	401, 403, 404, 406
	7	489, 495, 496, 497, 498
	8	566
Melanoplus flavidus Scudd. -----	5 (Sup.)	319, 323, 330, 339, 340
		355, 356, 363, 367, 369, 375, 390
Melanoplus foedus fluviatilis Brun. -----	5 (Sup.)	319, 323, 355, 356, 375
Melanoplus foedus foedus Scudd. -----	5 (Sup.)	319, 323, 324, 325, 327,
		328, 336, 337, 355, 356, 358,
		367, 369, 371, 372, 375, 380,
		381, 394, 395
Melanoplus foedus iselyi Hebard -----	5 (Sup.)	367
Melanoplus gladstoni Scudd. -----	5 (Sup.)	319, 323, 343, 344, 350,
		351, 352, 355, 363, 365, 375,
		377, 394
Melanoplus glaucipes Scudd. -----	5 (Sup.)	367, 369
Melanoplus infantilis Scudd. -----	5 (Sup.)	319, 323, 324, 327, 343,
		350, 351, 355, 363, 365, 375,
		392, 394, 395
Melanoplus keeleri luridus (Dodge) -----	5 (Sup.)	319, 323, 327, 330, 333,
		339, 343, 363, 375, 383, 390, 391
Melanoplus kennicotti kennicotti Scudd. ---	5 (Sup.)	363
Melanoplus lakinus Scudd. -----	5 (Sup.)	319, 323, 324, 325, 336,
		337, 350, 351, 355, 367, 375,
		380, 381
Melanoplus mexicanus (Sauss.) -----	2	37, 38
	3	67, 70
	4	142-147
	5	228-232
	5 (Sup.)	295-395

	<u>No.</u>	<u>Page</u>
Melanoplus mexicanus (Sauss.)-----	6	397,401-407
	7	489,494-497
	8	563,565-566
	9	628
	10	796
Melanoplus mexicanus spretus (Walsh) -----	6	407
Melanoplus occidentalis (Thos.) -----	4	147
	5	230
	5 (Sup.)	310-312, 319,323,324, 350,355,357,363,375,380,394
	6	402,403
	7	497
Melanoplus oregonensis Thos. -----	5 (Sup.)	350
Melanoplus packardii Scudd. -----	4	142,144
	5	228,229,232
	5 (Sup.)	319-395
	6	397,402-405
	7	496,497
	8	566
Melanoplus ponderosus Scudd. -----	5 (Sup.)	368
Melanoplus regalis Dodge -----	5 (Sup.)	319,323,355,368,380
Melanoplus scudderi (Uh1) -----	5 (Sup.)	346,375
Melanoplus sp. -----	3	70,71
Meligethes aeneus F. -----	7	550
Melipotus acontoides Guen. -----	4	205
Melissopus latiferreanus (Wlsm.) -----	6	431
Melitara sp. -----	4	222
Melittia satyriniformis Hbn. -----	6	399,443-444
Meloidae -----	5	224,257-258
	6	399,433-434
	7	520-521
Melophagus ovinus (L.) -----	2	59
	4	217
Mermiria maculipennis Rehn -----	5 (Sup.)	336,355,368,380,383 394,395
Mermiria maculipennis macclungi Rehn -----	5 (Sup.)	319,323,330,333,350, 355,363,375,377
Mermiria nemexicana(Thos.) -----	5 (Sup.)	336,355,368,375
Meromyza americana Fitch -----	6	416
Mesogramma politum Say -----	7	508
Mestobregma plattei Thos. -----	5 (Sup.)	319,323,350,394
Metallus rubi Forbes -----	4	177
Metator nevadensis Brun. -----	5 (Sup.)	358
Metator paradalinus Sauss. -----	5 (Sup.)	319,323,350,351,355, 363,375,394
Metriona bicolor (F.) -----	5	266
	6	446
Metriona bivittata (Say) -----	5	266
	6	446
Mexium americanum Cast. -----	2	62
Microplectron fuscipennis Zett.-----	10	813
Mindarus abietinus Koch -----	3	109
	4	203
	6	459

	No.	Page
Mineola indigenella (Zell.) -----	1	15
	2	46
	5	283
	8	611
	9	661
Minutus niger Gill. -----	6	463
Miris dolobratus (L.) -----	4	164
Monarthropalpus buxi Lab. -----	1	28
	2	56
	3	113-114
	4	211
	6	472
Monellia caryae Monell -----	8	583
Monellia costalis (Fitch) -----	4	178
	6	431
	7	518
Monellia nigropunctata Granovsky -----	4	178
Monoblastus sp. -----	6	467
Monocesta coryli (Say) -----	5	274
	7	543
	8	603
	9	654
Monochamus scutellatus (Say) -----	5	279
Monochamus sp. -----	6	465
Monocrepidius bellus Say -----	6	412
Monomorium minimum (Buckl.) -----	5	292
	6	481
Monomorium pharaonis (L.) -----	1	34
	2	60, 61
	3	123
	5	292
	7	559
	8	61 7
	9	665
Mordwilkoja vagabunda (Walsh) -----	7	547
Murgantia histrionica (Hahn) -----	1	22
	3	101
	5	264
	6	442
	7	527
	8	591
	9	646
Myzocallis fumipennellus Fitch -----	4	179
Myzocallis kahawaluokalani Kirk. -----	5	285
	7	551
	8	610
Myzocallis tiliae (L.) -----	2	53
Myzocallis ulmifolii Monell -----	7	544
Myzus cerasi (F.) -----	2	46
	3	93
	4	176
	5	251
	6	428-429
	9	639
Myzus convolvuli Kltb. -----	6	437

	No.	Page
<i>Myzus persicae</i> (Sulz.) -----	2	45, 48, 49
	3	92, 102
	6	437
	7	492, 524, 530
<i>Myzus porosus</i> Sand. -----	3	116
<i>Nacerda melanura</i> (L.) -----	3	124
	6	483
<i>Necrobia rufipes</i> (Deg.) -----	5	294
<i>Neleucania albilinea</i> (Hbn.) -----	6	416
	7	504
	9	627
<i>Nemapogon granelia</i> (L.) -----	4	221
<i>Neoclytus caprea</i> Say -----	2	52
<i>Neoclytus conjunctus</i> Lec. -----	3	124
<i>Neodiprion abietis</i> (Harr.) -----	7	544
<i>Neodiprion americanum</i> (Leach) -----	3	110
	5	280
	9	657
<i>Neodiprion dyari</i> Roh. -----	5	279
<i>Neodiprion lecontei</i> (Fitch) -----	3	110
	6	464
	7	547
	8	606
	9	657
<i>Neodiprion pinetum</i> (Nort.) -----	8	606
<i>Neodiprion sertifer</i> (Geoff.) -----	3	111
	4	207
<i>Neodiprion</i> sp. -----	5	279
<i>Neolecanium cornuparvum</i> (Thro) -----	6	474
	7	553
<i>Neomyzaphis abietana</i> Wlk. <u>See</u> <i>Aphis abietana</i> .		
<i>Neopodismopsis abdominalis</i> Thos. -----	5 (Sup.)	363
<i>Nephelodes emmedonia</i> (Cram.) -----	8	568
<i>Nephelodes emmedonia violans</i> Hbn. -----	4	139, 150
<i>Nepytia canosaria</i> Wlk. -----	7	545
<i>Neurocolpus nubilis</i> Say -----	6	441
<i>Neuroterus laurifoliae</i> Ashm. -----	9	656
<i>Neuroterus minutus</i> Bass. -----	6	463
	9	656
<i>Neuroterus niger</i> Gill. -----	6	463
<i>Nezara viridula</i> (L.) -----	5	258
	6	435
	8	586
	9	642
<i>Nodonota puncti collis</i> (Say) -----	4	172
<i>Norape cretata</i> Grote -----	7	548
<i>Notolophus antiqua</i> (L.) -----	1	24
<i>Nygma phaeorrhoea</i> (Donov.) -----	4	200
	5	272-273
	6	453
	7	491, 541
	10	814

	<u>No.</u>	<u>Page</u>
<i>Nysius ericae</i> (Schill.) -----	4	183
	5	258
	6	434
	7	489, 503
	8	586
<i>Nysius</i> sp. -----	3	81
<i>Oberea bimaculata</i> (Oliv.) -----	5	251
	6	429
	8	580
<i>Oberea tripunctata</i> (Swed.) -----	1	17
<i>Odontothrips loti</i> Hal. -----	6	441
<i>Oecanthus nigricornis</i> Wlk. -----	8	581
<i>Oedaleonotus enigma</i> (Scudd.) -----	4	147, 148
	5 (Sup.)	327, 358, 360, 371, 383
	6	403, 404
<i>Oestris ovis</i> L. -----	4	216
<i>Oiketicus toumeyi</i> Jones -----	3	109
<i>Oncideres cingulatus</i> (Say) -----	7	518
	8	582
	9	659
<i>Oncometopia costalis</i> F. -----	1	20
<i>Oncocnemis punctilinea</i> Hampson -----	4	151
<i>Oniscidae</i> -----	3	98
	5	259
<i>Opeia obscura</i> Thos. -----	5 (Sup.)	319, 323, 336, 350, 352, 355, 356, 363, 368, 375, 380, 383, 385, 394
<i>Ormenis pruinosa</i> (Say) -----	5	282
<i>Ornithodoros talaje</i> Guer. -----	1	31
<i>Ornix geminatella</i> Pack. -----	4	170
	8	577
<i>Orphulella pelidna</i> (Burm.) -----	5 (Sup.)	319, 323, 324, 343, 355, 356, 363, 375, 390, 394
<i>Orphulella pelidna desereta</i> Scudd. -----	5 (Sup.)	383
<i>Orphulella speciosa</i> (Scudd.) -----	5 (Sup.)	314, 315, 319, 323, 330, 331, 333, 339, 343, 350, 363, 368, 375, 377, 390
<i>Orthaea longulus</i> Dall. -----	1	20
<i>Orthaea vineta</i> Say -----	3	103
<i>Oryzaephilus surinamensis</i> (L.) -----	1	35
	2	65
	3	126
	4	220
	8	619
	9	667, 668
<i>Pachypsylla celtidis-mamma</i> Riley -----	5	276
<i>Pachypsylla celtidis vesiculum</i> Crawf. -----	9	655
<i>Pachypsylla venusta</i> O. S. -----	5	276
<i>Pachystethus lucicola</i> F. -----	6	411, 412
<i>Pachystethus marginatus</i> F. -----	6	450
<i>Pagasa fusca</i> Stein -----	9	633

	No.	Page
Paleacrita vernata (Peck) -----	2	51
	3	69, 106-107
	4	198, 199
	5	271
Palmodes sp. -----	7	498
Pandemis limitata Rob. -----	4	169
Pantomorus godmani (Crotch) -----	2	37, 42
	5	286
	8	608
Pantomorus leucoloma (Boh.) -----	4	139, 156
	5	223, 236
	7	489, 501
Pantomorus spp. -----	10	798-799
Papaipema nebris nitela (Guen.) -----	4	212
	5	283
	6	419, 471
	7	507
	8	572
	9	658
Papilio polyxenes F. -----	4	190
	7	529
Paragrotis scandens Riley -----	4	151
Parallelodiplosis florida Felt -----	4	206
	6	463
Parandra brunnea F. -----	7	548
Paratetranychus citri McG. -----	1	18
Paratetranychus pilosus (C. & F.) -----	1	17
	2	45
	3	68, 90
	4	140, 172
	5	223, 249
	6	398, 426-427
	7	514
	8	578
	9	638
Paratetranychus ununguis Jacobi -----	7	548
Paratrechina longicornis (Latr.) -----	4	218
	6	481
	8	617
Paratrioza cockerelli (Sulc) -----	3	99
	4	185
	5	224, 260
	6	438
	7	524
	8	588
	9	644
	10	806-807
Pardalophora haldemanii (Scudd.) -----	5 (Sup.)	319, 323, 336, 355, 363, 375, 394
Pardalophora phoenicoptera (Burm.) -----	5 (Sup.)	330
Pardalophora saussueri Scudd. -----	5 (Sup.)	368, 369
Parharmonia pini Kellicot -----	6	464
Parlatoria camelliae Comst. -----	1	27
Parlatoria chinensis Marlatt -----	4	210

	No.	Page
	<u>3</u>	<u>116</u>
Parlatoria oleae (Colv.) -----	4	180
Parlatoria theae Ckll. -----	2	55
	3	112
Paropomala wyomingensis Thos. -----	5 (Sup.)	319, 323, 355, 394
Parthenothrips dracaenae Heeger -----	4	212
Paurocephala ilecis (Ashm.) -----	1	29
Pectinophora gossypiella (Saund.) -----	1	23
	2	50
	3	105
	4	195
	8	599
	9	652
Pediculoides ventricosus Newp. -----	1	17
Pegomya hyoscyami (Panz.) -----	4	191
	5	266
	7	531
Pelidnota punctata L. -----	6	431
Pemphigus betae Doane -----	7	547
Pemphigus lactucaae Fitch -----	1	22
Pemphigus populicaulis Fitch -----	7	547
Pemphigus populiglobuli Fitch -----	7	547
Pemphigus populitransversus Riley -----	6	467
	7	547
Peranabrus scabricollis (Thos.) -----	3	72
	4	150
Peridroma margaritosa (Haw.) -----	2	38
	3	73
	4	151
	5	237
	6	397, 413
	7	502
	8	568
	9	630
Perillus bioculatus F. -----	7	523
Periphyllus lyropictus (Kess.) -----	6	461
	9	655
Periphyllus negundinis (Thos.) -----	4	201
	5	274
Periplaneta americana (L.) -----	2	62
Periplaneta australasiae (F.) -----	8	618
Periplaneta brunnea Burm. -----	1	34
Peritelinus oregonus Van Dyke -----	3	93
Petrova comstockiana (Fern.) -----	2	54
Phacogenes nigridens Wesm. -----	9 (Sup.)	794
Phalaenidae -----	1	10
	2	38
	3	72-73
	4	150-151
	6	412-413
	9	629-630
Phenococcus acericola King -----	4	204
	9	655
Phenococcus aceris Sign. -----	6	423
Phenococcus cevalliae Ckll. -----	7	539

	No.	Page
<i>Philaenus leucophthalmus</i> (L.) -----	2	49
	3	103
	4	156
	5	267
<i>Philaenus</i> spp. -----	5	267
<i>Phlebotomus</i> sp. -----	5	289
	9	662
<i>Phlibostoma quadrimaculatum</i> Thos. -----	5 (Sup.)	319, 323, 350, 351, 355, 356, 363, 365, 368, 375, 377, 380, 394, 395
<i>Phloeosinus cristatus</i> (Lec.) -----	1	25
<i>Phloeosinus dentatus</i> (Say) -----	4	203
<i>Phlyctaenia rubigalis</i> (Guen.) -----	1	26
	2	55
	3	101
	5	284
	8	593
<i>Phobetrion pithecius</i> (A. & S.) -----	7	513
<i>Phoenicococcus marlatti</i> Ckll. -----	3	96
	9	641
<i>Phoetaliotes nebrascensis</i> (Thos.) -----	5 (Sup.)	319, 322, 327, 328, 330, 333, 336, 343, 350, 355, 358, 363, 371, 372, 375, 377, 384, 394, 395
<i>Phormia regina</i> (Mg.) -----	1	32
	2	59
	3	122
<i>Phormia</i> spp. -----	3	121-122
	4	216-217
<i>Phorodon Humuli</i> (Schr.) -----	4	176, 192
	6	445
	8	594
<i>Phyllaphis fagi</i> (L.) -----	5	274
	9	654
<i>Phyllocoptes aceris-crumena</i> Riley -----	6	462
<i>Phyllocoptes destructor</i> Keif. -----	8	564, 588
<i>Phyllocoptes olivorus</i> Ashm. -----	1	19
	4	140, 180
	6	398, 432
	7	520
	8	584
<i>Phyllocoptes quadripes</i> Shim. -----	4	204
	5	278
	6	462
<i>Phyllophaga anxia</i> Lec. -----	5	225
<i>Phyllophaga arkansana</i> Schffr. -----	3	76
<i>Phyllophaga calceata</i> Lec. -----	2	39
<i>Phyllophaga crassissima</i> Blanch. -----	4	155
	5	236
<i>Phyllophaga ephilida</i> Say -----	7	500
<i>Phyllophaga fusca</i> (Froel.) -----	3	77
	5	225
	8	567
<i>Phyllophaga futilis</i> Lec. -----	4	154
	5	225

	No.	Page
Phyllophaga hirticula (Knoch) -----	4	154, 155
	7	500
	8	567
Phyllophaga implicita Horn -----	4	154, 155
Phyllophaga micans Knoch -----	3	76
Phyllophaga lanceolata Say -----	6	410
Phyllophaga profunda Blanch. -----	9	628
Phyllophaga prunina Lec. -----	3	76
Phyllophaga rubiginosa Lec. -----	2	39
Phyllophaga rugosa (Melsh.) -----	3	77
	9	628
Phyllophaga spp. -----	2	39
	3	67, 76-77
	3 (Sup.)	131
	4	154-155
	5	235-236
	6	397, 409-410
	7	489, 500
	8	563, 567
	9	625, 627, 628
Phyllophaga tristis (F.) -----	3	76, 77
	4	154
Phyllotoma nemorata Fall. -----	6	456
	8	603
	9	654
Phyllotreta sp. -----	3	98
Phyllotreta vittata (F.) -----	1	20
	7	528
Phyllotreta vittata descedens Weise -----	1	20
	4	182
Phylloxera caryaecaulis Fitch -----	5	276
Phylloxera caryaeseptum Shim. -----	6	459
Phylloxera devastatrix Perg. -----	5	254
	8	583
Phylloxera vitifoliae (Fitch) -----	6	431
Phymatodes variabilis L. -----	2	61
Phyrdenus bullatus Csy. -----	9	644
Physokermes piceae Schr. -----	4	209
	6	468
	8	607
Phytomyza ilicis (Curt.) -----	3	115
	6	473
Phytomyza minuscula Gour. -----	5	284
Phytophaga destructor (Say) -----	1	13
	4	157-158
	5	223, 238-239
	6	398, 415-416
	6 (Sup.)	485-487
	7	490, 504
	8	569-570
	9	631
	10	798
Pieris protodice (B. & L.) -----	8	590
	9	645

	No.	Page
<i>Pieris rapae</i> (L.) -----	1	22
	3	100-101
	4	188
	5	263-264
	6	441-442
	7	492, 526
	8	590
	9	627, 645
<i>Pikonema alaskensis</i> (Roh.) -----	6	467
	8	607
	9	658
<i>Pilocrosis tripunctata</i> (F.) -----	3	648
	5	281
<i>Pineus pinifoliae</i> (Fitch) -----	6	465
<i>Pineus similis</i> Gill. -----	6	468
<i>Pineus strobil</i> (Htg.) -----	4	208
	5	280
<i>Pinipestis zimmermanni</i> Grote -----	8	606
<i>Pinnaspis aspidistrae</i> (Sign.) -----	1	28
	5	285
	9	659
<i>Pissodes approximatus</i> Hopk. -----	7	547
	8	606
<i>Pissodes nemorensis</i> Germ. -----	1	29
	2	54
<i>Pissodes strobil</i> (Peck) -----	3	69, 110
	5	279
	6	465
	9	656
<i>Pityophthorus ramiperdi</i> Swaine -----	9	657
<i>Plagiodera versicolora</i> (Laich.) -----	4	209
	5	282
	6	470
<i>Plathypena scabra</i> (F.) -----	1	10, 14-15
<i>Platynota stultana</i> Wlsm. -----	2	55
<i>Platypus compositus</i> Say -----	1	24
<i>Platypus flavicornis</i> F. -----	1	24
<i>Plectrodera scalator</i> (F.) -----	6	466
<i>Pleurophorus caesus</i> Creutz -----	8	585
<i>Plodia interpunctella</i> (Hbn.) -----	2	65
	4	219, 220
	5	294
	9	668
<i>Plutella maculipennis</i> (Curt.) -----	1	22
	4	188
	7	527
	9	646
<i>Podosesia syringae</i> (Harr.) -----	5	286
	8	611
<i>Poecilocapsus lineatus</i> (F.) -----	5	283
<i>Pogonomyrmex badius</i> (Latr.) -----	4	219
<i>Pogonomyrmex barbatus</i> (F. Smith) -----	1	12
<i>Pogonomyrmex californicus</i> (Buckl.) -----	6	481
<i>Pogonomyrmex occidentalis</i> (Cress.) -----	4	219

	No.	Page
Polychrosis viteana (Clem.) -----	5	253
	6	430
	7	490, 518
	8	581
Polygonia interrogationis F. -----	2	43
Polyphylla occidentalis L. -----	6	465
Pomphoea sayi (Lec.) -----	3	91
	5	257
	6	412
Popillia japonica Newm. -----	3	77
	3 (Sup.)	127-138
	4	155
	5	223, 235
	6	397, 410-411
	7	489, 500-501
	8	567-568
	9	629
	10	795, 801-802
Porthetria dispar (L.) -----	2	51
	3	107
	5	224, 272
	6	454
	7	540
	9	653
	10	813-814
Prateoteras aesculana Riley -----	4	205
Prenolepis imparis (Say) -----	1	34
Prionoxystus robiniae (Peck) -----	1	24
	2	52
	9	654
Prionus californicus Mots. -----	3	107
Priophorus acericaulis Mac G. -----	5	278
	6	461
Priophorus rubivorus Roh. -----	6	429
Pristiphora geniculata (Htg.) -----	6	462
	7	546
Prociphilus fraxinifolii (Riley) -----	4	200-201
	5	273
	7	542
	8	602
Prociphilus imbricator (Fitch) -----	1	24
	7	542
	8	602
Prociphilus tessellatus (Fitch) -----	5	278
	6	455
Prodenia eridania (Cram.) -----	7	502
Prodenia sp. -----	4	151
Prodenia ornithogalli Guen. -----	4	151
	6	412
	7	502
	8	568
	9	630
Profenusa canadensis (Marlatt) -----	4	176
	5	251

	No.	Page
Proleucoptera albella Chamb. -----	6	466
Prosenia sibirita F. -----	3 (Sup.)	127, 131
Proteides clarus (Cram.) -----	6	470
Protoparce quinquemaculata (Haw.) -----	7	523, 531
	8	595
Protoparce sexta (Johan.) -----	7	523, 531
	8	594, 595
	9	644
Protoparce spp. -----	5	261
	6	399, 438
Protopulvinaria pyriformis (Ckll.) -----	1	19
Psallus seriatus (Reut.) -----	2	50
	3	105
	4	195-196
	5	224, 269
	6	452-453
	7	537
	9	652
Pseudaonidia paeoniae (Ckll.) -----	1	27
Pseudococcinae -----	6	432
Pseudococcus comstocki (Kuw.) -----	3	68, 89
	4	171
	5	223, 248-249
	7	513-514
	8	578
	9	625-638
Pseudococcus cuspidata Rau -----	5	288
	9	661
Pseudococcus maritimus (Ehrh.) -----	6	457
	9	659
Pseudococcus spp. -----	3	106
Pseudopomala brachyptera (Scudd.) -----	5 (Sup.)	339, 350, 390
Psidinia fenestralis (Serv.) -----	5 (Sup.)	330
Psila rosae (F.) -----	1	22
	5	226
	6	445
	7	529
Psocidae -----	6	483
	7	561
Psorospora columbiae D. & K. -----	7	554
Psorospora spp. -----	7	554
Psychoda pacifica Kincaid -----	8	619
Psylla buxi (L.) -----	3	114
Psylla pyricola Foerst. -----	3	92
	4	175
	5	250
	6	428
	7	517
	8	580
	9	639
Pteronidea ribesii (Scop.) -----	3	94
	4	177
	5	252
Pterophorus periscelidactylus (Fitch) -----	4	178

	<u>No.</u>	<u>Page</u>
Ptinus brunneus Duft. -----	2	64
	3	125
	5	293
Ptinus fur L. -----	3	126
	4	221
Pulvinaria amygdali Oкл. -----	6	428
Pulvinaria psidii Mask. -----	8	584
Pulvinaria vitis (L.) -----	5	278
	6	462
	7	546
Pyralis farinalis (L.) -----	5	294
Pyrausta nubilalis (Hbn.) -----	2	40
	3	79
	4	160
	5	226, 242
	6	398, 418-419
	7	490, 492, 504-505
	8	563, 571-572
	8 (Sup.)	621-624
	9	625, 631-632
	9 (Sup.)	669-682
	9 (Sup.)	787-794
	10	797
Pyroderces rileyi Wlsm. -----	7	510
Recurvaria juniperella Kearf. -----	5	286
	6	473
Recurvaria piceaella Kearf. -----	6	471
Reduvius personatus (L.) -----	1	30
Reticulitermes flavipes (Koll.) -----	1	33
	2	60
	3	122
	4	217-218
	9	664
Reticulitermes hageni (Banks) -----	7	558
Reticulitermes hesperus Banks -----	2	60
Reticulitermes tibialis Banks -----	1	33
	3	123
	4	218
	8	616
	9	664
Rhabdophaga sp. -----	3	112
Rhabdopterus picipes (Oliv.) -----	5	248
Rhabdopterus sp. -----	6	420
Rhagoletis cingulata (Loew) -----	4	176
	5	251
	6	429
Rhagoletis completa Cress. -----	6	470
	8	583
Rhagoletis fausta (O. S.) -----	4	175, 176
	5	251
Rhagoletis pomonella (Walsh) -----	4	172
	5	248
	6	425-426
	7	513

	No.	Page
<i>Rhagoletis pomonella</i> (Walsh) (contd.) -----	8	577
	9	637
<i>Rhipicephalus sanguineus</i> (Latr.) -----	1	31
	6	478
	7	557
	8	614
	9	662
<i>Rhizoglyphus hyacinthi</i> Bdv. -----	5	285
<i>Rhizopertha dominica</i> (F.) -----	2	64, 65
<i>Rhodites rosae</i> (L.) -----	6	475
<i>Rhodobaenus tredecimpunctata</i> (Ill.) -----	6	472
	7	551
	8	609
	9	660
<i>Rhopalosiphum berberidis</i> Kltb. -----	4	211
<i>Rhopalosiphum nymphaeae</i> (L.) -----	6	475
	7	553
<i>Rhopalosiphum prunifoliae</i> (Fitch) -----	2	44
	3	88-89
	4	170
	6	416
<i>Rhopalosiphum pseudobrassicae</i> (Davis) -----	1	22
	7	530
<i>Rhyacionia buoliana</i> (Schiff.) -----	2	53
	4	206-207
	5	279
	6	464
	8	605
	9	626, 656
<i>Rhyacionia frustrana</i> (Comst.) -----	2	37, 53
	3	109
	5	279
	7	547
	8	605-606
	9	656
<i>Rhyacionia rigidana</i> (Fern.) -----	4	207
<i>Rhynchaenus pallicornis</i> (Say) -----	4	171-172
	5	248
	6	426
<i>Rhynchites bicolor</i> (F.) -----	4	177, 213
	5	287
	6	474-475
	7	553
<i>Rhynchophorus cruentatus</i> F. -----	8	611
<i>Rodolia cardinalis</i> (Muls.) -----	7	519
<i>Saissetia hemispherica</i> (Targ.) -----	1	28
	2	47
<i>Saissetia oleae</i> (Bern.) -----	5	254
	7	519
	8	583
	9	661
<i>Samia cecropia</i> (L.) -----	5	274
<i>Saperda candida</i> F. -----	8	575
<i>Saperda tridentata</i> Oliv. -----	3	108
	7	544

	<u>No.</u>	<u>Page</u>
Saperda vestita Say -----	7	545
Scapteriscus spp. -----	2	48
Scatophila despecta Hal. -----	3	113
Scatophila sp. -----	3	113
Scelio calopteni Riley -----	5 (Sup.)	312
Schistocerca alutacea (Harr.) -----	5 (Sup.)	330, 339, 390
Schistocerca americana (Drury) -----	5 (Sup.)	314, 315, 330, 333, 334, 346, 347, 368
Schistocerca lineata Scudd. -----	5 (Sup.)	320, 322, 336, 350, 355, 363, 368, 375, 380
Schistocerca shoshone (Thos.) -----	5 (Sup.)	358, 384
	6	401
	7	489
	8	566
Schistocerca speciosa -----	5 (Sup.)	333
Schizura unicornis (A. & S.) -----	9	639
Sciara sp. -----	3	112
Scirtothrips citri (Moult.) -----	5	255
Scolytus multistriatus (Marshall) -----	2	52-53
	4	202
	10	811
Scolytus rugulosus (Ratz.) -----	1	16
	2	42
	3	91
	6	423
	7	516-517
	8	575
	9	636
Scolytus sulcatus Lec. -----	4	200
Scutigera forceps Raf. -----	9	667
Scutigera immaculata (Newp.) -----	2	48
	4	183
	5	259
	6	435
	7	522
Scythropus ferrugineus Casey -----	2	54
Sericothrips moultoni Jones -----	6	441
Sericothrips variabilis Beach -----	4	197
Sidemia devastator (Brace) See Crymodes. -----		
Simulium spp. -----	5	291
Siphonaptera -----	2	58
	6	476-477
	7	555
	8	613
	9	662
Sitona cylindricollis Fahraeus -----	3	82
	4	163
	5	223, 244
	7	492
	9	634
Sitona flavescens Marsh. -----	4	163
Sitona hispidula (F.) -----	5	244
	6	422, 440

	No.	Page
Sitona lineata L. -----	4	164
	5	226
Sitophilus granarius (L.) -----	1	35
	3	125
	4	220
	5	294
Sitophilus oryza (L.) -----	1	35
	4	220
	5	294
	9	668
Sitotroga cerealella (Oliv.) -----	9	668
Solenopotes capillatus End. -----	7	558
Solenopsis geminata (F.) -----	7	559
Solenopsis geminata rufa Jerd. -----	6	481
Solenopsis molesta (Say) -----	7	559
Solenopsis xyloni McCook -----	1	34
	2	60
	3	123
	4	219
	5	292
	7	559
	8	617
	9	665
Solubea pugnax F. -----	3	83
	7	510
Spharagemon bolli Scudd. -----	5 (Sup.)	339, 375
Spharagemon collare (Scudd.) -----	5 (Sup.)	320, 394
Spharagemon equale Say -----	5 (Sup.)	320, 322, 327, 336, 350, 351, 355, 363, 368, 371, 372, 376, 384, 394
Spharagemon humile Morse -----	5 (Sup.)	320, 322
Sphinx lineata (F.) -----	3	76
	5	238
	6	414
Spilonota ocellana (D. & S.) -----	3	87
	5	226
	6	425
	7	512
Stegobium paniceum (L.) -----	1	36
	2	62
	4	221
	5	293
	7	560
	8	619
	9	667
Stenopelmatus fuscus Hald. -----	6	472
	7	550
Stephanitis pyrioides Scott -----	4	211
	5	284
	8	609
Stephanitis rhododendri Horv. -----	1	29
	5	287
	6	474
Sterictiphora cellularis Say -----	6	446
	7	530

	No.	Page
Sternochetus lapathi (D.) -----	1	26
	5	282
	6	466
	8	607
Stethophyma gracilis Scudd. -----	5 (Sup.)	363
Stictia carolina F. -----	5	291
	8	616
Stictocephala festina (Say) -----	5	262
	6	422
	8	589
Stilpnotia salicis (L.) -----	6	455
	10	814
Stomoxys calcitrans (L.) -----	1	32
	2	58
	3	120
	4	216
	5	290-291
	6	479
	7	557
	8	615
	10	816
Stomoxys spp. -----	6	479
Straussia longipennis (Wied.) -----	9	661
Strymon melinus (Hbn.) -----	6	451
Supella supellectilium (Serv.) -----	1	34
	3	123
	5	293
	6	482
	7	559
	9	666
Symmerista albifrons A. & S. -----	7	546
	8	605
Symmerista albifrons albicosta Hbn. -----	8	605
Symphoromyia sp. -----	9	662
Syrbula admirabilis Uhl. -----	5 (Sup.)	330, 331, 333, 346, 355, 368, 369
Systema blanda Melsh. -----	5	256
	6	440
Systema sp. -----	4	194
Systema taeniata (Say) -----	6	420, 436
Tabanidae -----	4	216
	8	616
Tabanus abactor Phil. -----	9	664
Tabanus americanus Forst. -----	5	291
Tabanus atratus F. -----	8	616
Tabanus lineola F. -----	8	616
Tabanus productus Hine -----	6	479
Tabanus punctifer O. S. -----	5	291
	6	479
	7	558
	8	616
	.	

	No.	Page
<i>Tabanus</i> spp. -----	9	664
<i>Tachypterellus quadrigibbus</i> (Say) -----	4	171
<i>Taeniothrips inconsequens</i> (Uzel) -----	1	17
	2	46
	3	92
<i>Taeniothrips simplex</i> (Morison) -----	1	28
	2	57
	3	115
	4	212
	6	473
	7	552
	8	610
	9	660
<i>Taniva albolineana</i> Kearf. -----	1	29
	3	111
	4	208
	6	467
<i>Tarsonemus pallidus</i> Banks -----	8	609
<i>Tendipes</i> sp. -----	6	476
	7	556
<i>Tenebrio molitor</i> L. -----	1	35
	9	668
<i>Tenebrio obscurus</i> F. -----	3	125
<i>Tenebrio</i> sp. -----	1	35
<i>Tenetroides mauritanicus</i> L. -----	4	220
	9	668
<i>Tenthredinidae</i> -----	3	117
	4	204, 209
<i>Tenuipalpus erythrus</i> Ewing -----	1	27
<i>Tetralopha</i> sp. -----	8	573
<i>Tetramorium caespitum</i> (L.) -----	1	34
	6	481-482
<i>Tetraneura ulmisacci</i> Patch -----	7	544
<i>Tetranobla</i> sp. -----	3	79
<i>Tetranychina tritici</i> Ewing -----	3	79
<i>Tetranychus althaeae</i> Von Hanst. -----	3	109
<i>Tetranychus atlanticus</i> McG. -----	7	526
<i>Tetranychus pacificus</i> McG. -----	7	514
<i>Tetranychus sexmaculatus</i> Riley -----	6	432
	7	520
	8	584
<i>Tetranychus</i> spp. -----	1	12, 17, 18
	2	47, 49, 56, 61
	3	113
	8	589
	6	441
	7	526
<i>Tetranychus telarius</i> (L.) -----	3	77, 104
	4	192, 200
	6	445, 471
	7	526
	8	573, 609

	No.	Page
Tetraonyx quadrimaculata F. -----	6	433
Tetrastichus asparagi Crawford. -----	7	529
Tettigoniidae sp. -----	5 (Sup.)	330, 331, 333, 334, 339, 340, 341
Theobaldia inornata Will. -----	7	555
	8	613
Theobaldia melanura Coq. -----	7	554
Theobaldia spp. -----	3	117
Thermobia domestica Pack. -----	7	561
Tholeria reversalis Guen. -----	1	30
Thricolepis inornata Horn -----	9	655
Thrips tabaci Lind. -----	4	189, 190
	5	266
	6	445, 446
	7	530
	8	593
	9	647
Thyanta custator (F.) -----	5	258
Thyanta rugulosa Say -----	6	447
Thylodrias contractus Mots. -----	6	483
Thyridopteryx ephemeraeformis (Haw.) -----	1	24
	5	273
	6	454-455
	7	541
	8	601-602
	9	653
Thyrillus pacificus (Uhl.) -----	5	241
Thysanoptera -----	2	57
	3	117
	4	197, 213
	5	263, 270
Tiphia vernalis Roh. -----	3 (Sup.)	127-129, 132-134
Tiphia popilliavora Roh. -----	3 (Sup.)	127, 130, 135-137
Tineola biselliella (Hum.) -----	2	63
Tineola spp. -----	2	63
Tineola walsinghami Busck -----	3	125
	7	560
	9	666
Tingitidae -----	5	287
Tomostethus multicinctus Roh. -----	4	201
Toumeyella liriodendri (Gmel.) -----	9	657
Toumeyella numismaticum (P. & M.) -----	5	280
Toumeyella parvicorni Ckll. -----	1	26
Toumeyella turgida Ckll. -----	1	29
	3	116
	9	661
Toxoptera graminum (Rond.) -----	1	10, 12-13
	2	37, 40
	3	67, 78-79
	4	159
Toxotrypana curvicauda Gerst. -----	4	180
Trachelus tabidus (F.) -----	10	800-801

	No.	Page
Trachyrhachis kiowa Thos. -----	5 (Sup.)	320, 322, 324, 350, 351, 355, 363, 368, 376, 384, 385, 394
Trachyrhachis kiowa fuscifrons (Stal) -----	5 (Sup.)	330, 368, 394
Trachyrhachis pistrinaria -----	5 (Sup.)	364
Tremex columba (L.) -----	4	201
	9	655
Trialeurodes abutilonea Hald. -----	8	589
Trialeurodes vaporariorum (Westw.) -----	7	550
Trialeurodes variabilis Quaint. -----	8	584
Triatoma longipes Barber -----	6	478
Triatoma protracta Uhl. -----	7	556
Triatoma rubida Uhl. -----	6	478
Triatoma sanguisuga (Lec.) -----	7	556
	8	614
Tribolium castaneum (Hbst.) -----	2	64
	3	126
	4	220
	9	668
Tribolium confusum Duv. -----	1	35
	2	64
	3	125, 126
	4	220
	5	293
Tribolium madens Charp. -----	1	35
	3	125
	4	220
Tribolium sp. -----	1	35
	2	64, 65
Trichobaris bridwelli Barber -----	5	267
Trichobaris trinotata (Say) -----	8	587
Trichodectes ovis L. -----	2	59
	4	217
Trichodectes scalaris Nitz. -----	2	59
Trichogramma sp. -----	7	511
Trifidaphis phaseoli (Pass.) -----	3	82
Trimerotropis agrestis McN. -----	5 (Sup.)	394
Trimerotropis campestris McNeill -----	5 (Sup.)	320, 322, 324, 350, 363, 394
Trimerotropis cincta Thos. -----	5 (Sup.)	320, 322, 376
Trimerotropis citrina Scudd. -----	5 (Sup.)	330, 368, 369
Trimerotropis gracilis sordida Walk. -----	5 (Sup.)	350
Trimerotropis laticincta Sauss. -----	5 (Sup.)	320, 322, 336, 350, 355, 363, 376, 394
Trimerotropis latifasciata Scudd. -----	5 (Sup.)	358, 384
Trimerotropis pallidipennis Burm. -----	4	142
	5 (Sup.)	320, 322, 327, 350, 359, 368, 369, 371, 372, 384
	6	401
Trimerotropis pallidipennis salina McN. ---	5 (Sup.)	320, 322, 363, 376
Trimerotropis pistrinaria Sauss. -----	5 (Sup.)	350, 394
Trimerotropis sparsa Thos. -----	5 (Sup.)	384
Trimerotropis suffusus Scudd. -----	5 (Sup.)	320, 322, 350, 371
Trioza diospyri (Ashm.) -----	4	179
Trioza magnoliae (Ashm.) -----	3	115

	<u>No.</u>	<u>Page</u>
Trioza maura Foerst. -----	7	549
Trombidium sp. -----	5 (Sup.)	311
Tropidolophus formosus Say -----	5 (Sup.)	320, 380
Tyloderma fragariae (Riley) -----	5	267
	8	594
	9	647
Typhlocyba pomaria McAtee -----	4	171
Typhlocyba rosae (L.) -----	8	612
Typhlocyba sp. -----	5	287
Urbanus proteus (L.) -----	9	645
Utetheisa bella (L.) -----	3	76
Vanessa atalanta (L.) -----	5	237
Vanessa cardui (L.) -----	4	153
	5	237-238
	6	473
Vespa crabo germana Christ -----	8	617
Wasmannia auropunctata (Roger) -----	6	481
	8	616
Wohlfahrtia meigenii Shiner -----	6	480
Xanthippus corallipes Hald. -----	5 (Sup.)	320
Xenopsylla cheopis (Rothsch.) -----	6	477
Xyela spp. -----	2	52
	4	207
Xylococcus betulae Perg. -----	6	456
	7	542
	3	124
Xylocopa virginica (Drury) -----	4	221
Xylocrius agassizi Lec. -----	2	46
	4	221
Xylotrechus colonus(F) -----	3	124
Xylotrechus quadrimaculatus Hald. -----	1	24
Zeiraphera ratzeburgiana Ratz. -----	6	455
Zeugophora scutellaris Suffr. -----	7	548
Zophodia convolutella (Hbn.) -----	4	177



1. The first part of the paper is devoted to a discussion of the general theory of the problem. It is shown that the problem is equivalent to a system of linear equations. The system is then solved by the method of least squares. The results are then compared with the results of other authors.

2. The second part of the paper is devoted to a discussion of the numerical solution of the problem. It is shown that the numerical solution can be obtained by the method of least squares. The results are then compared with the results of other authors.

3. The third part of the paper is devoted to a discussion of the experimental results. It is shown that the experimental results are in good agreement with the theoretical results. The results are then compared with the results of other authors.

4. The fourth part of the paper is devoted to a discussion of the conclusions. It is shown that the problem is solved. The results are then compared with the results of other authors.

5. The fifth part of the paper is devoted to a discussion of the references. It is shown that the references are in good agreement with the theoretical results. The results are then compared with the results of other authors.